SILVER BULLET . . . OR DEAD END



HONEY BEE (QUEEN BREEDERS

NATURALLY MATED QUEERS \$240

INSTRUMENTALLY \$150 INSEMINATED EACH PRODUCTION QUEENS INSTRUMENTAL INSEMINATION COURSE (2 DAY)

\$1000

QUEEN REARING COURSE

\$225

NATURALLY MATED QUEENS \$40 Each

BREEDER QUEENS \$250 FACU

INSTRUMENTALLY INSEMINATED PRODUCTION
QUEENS GUARANTEED 10-12ul SEMEN INSEMINATED

INSEMINATION INCLUDES THE FOLLOWING DRONES

• CARNIOLA • ITALIAN • VSH • BUCKFAST • RUSSIAN

LAYING WHEN THEY LEAVE OUR HIVES NEVER BANKED VIRGIN QUEENS \$15

NATURALLY MATED \$40
INSTRUMENTALLY INSEMINATED
PRODUCTION QUEEN \$150
BREEDER QUEEN \$250

TO PLACE AN ORDER CALL, TEXT OR EMAIL

860-883-3229 MARI

MARK@APIFOND.COM

bee supply

Propers yourself for क्षेत्रक क्षेत्र कार्य क्षेत्रक proving, and comb honey production



PER STREET 124 Julius

SALE PRICE \$29.95 main PLS

PER INC. BEE

\$16.86 / each \$12.86 / each when you buy 18+

SALE 7-packs of

Pro Nucs for \$70.95 feater \$6.82 on such Pro Nuc AND Pegaw eldi gataştışı meder gelççiriş deş esş



for instruction about diament rend



Augliable in 10 or 8 Frame: \$79.96

58 MANUFACTURER'S MAIL-IN RESATE

article will lie 11, 2121

Glass



Plastic

OCTION LITTLE

1 ag - \$19,395 Oct. One 18 cg - \$24,050 pt. Com 22 cg - \$30,000 ct. Com At Cape

6 US- 第2 第72 d. Date 2 LE - \$10LUS*125 ct. Com

O PLASTIC MAEL CEARS

2 as Paral Bases \$221,15810 ct. Case No Case & at Panel Brann \$198,00000 ct. Case No Cape il uz Panel Benes \$150.06/05 ct. Care ils Care 12 oz Panel Boson \$118,96400 el. Caso No Capa 18 oz Panel Bearn \$30,05200 ct. Caso At. Caps 24 de Paral Bases \$30,007 ME et. Casa de Capa

(1) BLASS 3 BZ.

\$19.85.78 cl. Com Ball Main Ute Inches

🔾 1448 17 (Z. 187 \$1.572 d.Com الطمقها طلاز تشان لقدو

Oretieum 12 cz siep jan \$1235/12 ct. a ex absolute SMLB624 st. Cold State Little Installed

4g-28,678 ct. Com \$cc-\$126512ct.Com 16 m - \$18 m/12 ct. Com Jehda cida

Sex - \$10,5024 ct. Cam 16 m. - 58.46/12 ct. Com 20 mg - \$13.76/12 at Com

FOR BEES. FOR HOMEY, FOR EVERYONE (877) 529-9BEE

MAM BITHESELEFE ESOLATION

BE PREPARED FOR THE HONEY FLOW



MANN LAKE 800-880-7694

WE KNOW BEES

www.mannlakeltd.com

Hackertsack, MN • Wilkes-Barne, PA • Woodland, CA • Marshall, TX • Winter Haven, FL Tree stigging applicate most extent over \$100 contributed ordinated between \$1 states. Note one subject to change will not contribute to the property of the change will not contribute to the property of the change will not contribute to the change will not contr



Ready Now For The 2020 Bee Season!

The New Standard of Excellence in Plastic Frames and Foundations

Pre-Assembled Wooden Frames

- 9-1/8" and 6-1/4" Sizes
- Pre-Assembled With Acorn Plastic Foundation
- Standard, Heavy and Extra Heavy Waxed available



One Piece Plastic Frames

- Flatter, Stiffer, Sturdier
- Redesigned Mega Strong Ears Last Forever!
- 9-1/8" and 6-1/4" Sizes



Plastic Snap-in Foundations

- Fits well in 9-1/8" and 6-1/4" Wooden Frames
- Optional Breakaway
 Communication Hole



nick@acornbee.com www.acornbee.com

Nick Lissaman 25 Years Experience MORE BROOD! - MORE BEES! - MORE HONEY!

EXCELLENT BEE ACCEPTANCE

Call For Best Prices! 877-255-6078







BeeCabulary Essentials

Beekeeping terminology in a few short, simple words. Finally, a book of beekeeping terms—*All of them*.


by Andrew Connor, Foreward by Dewey M. Caron

There are hundreds of photos that illustrate almost everything covered in the book. Each definition is easy to use, not too long and usually illustrated. There's an easy to use index and good references at the end.

— Kim Flottum, Editor, Bee Culture.

A great tool for new beekeepers. Often I see total bewilderment in new beekeepers' faces during an explanation about beekeeping equipment, techniques and behaviors. *BeeCabulary Essentials* will be a must-have for all beginners! Seasoned beekeepers will find it an informative read as well.

-Mike Risk, Lansing, Michigan.



Paper Lay Flat Binding \$34.00 Postpaid ISBN 978-1-878075-50-5 8.5 x 9.25 inches 234 pages Nearly 600 images in full color



Paper

\$28.00 Postpaid ISBN 978-1-878075-23-9 6 x 9 inches 225 pages Full Color Second Edition

Lawrence John Connor

Best book on queen rearing available, widely used to teach the craft to beekeepers.




Paper

\$28.00 Postpaid ISBN 978-1-878075-28-4 6 x 9 inches 208 pages Full Color

Lawrence John Connor with Robert Muir

A basic beekeeping book with meat on its bones—the book you have been looking for.




Paper

\$28.00 Postpaid ISBN 978-1-878075-32-1 6 x 9 inches 176 pages Full Color Second Edition

Lawrence John Connor

Make up colony losses with this helpful book, and improve your colony stewardship.



Hardcover Textbook

\$55.00 Postpaid ISBN 978-1-878075-29-1 8.5 x 10 inches 368 pages Full Color Second Edition

Dewey M. Caron and Lawrence John Connor


Widely accepted textbook of beekeeping for Universities and bee course instructors.



Paper

\$28.00 Postpaid ISBN 978-1-878075-61-1 6 x 9 inches 130 pages Full Color First Edition NEW APRIL 2020 Lawrence John Connor

Start and grow your beekeeping operation with package colonies. Learn how to install, manage and support them.



Paper

\$25.00 Postpaid ISBN 978-1-878075-51-2 6 x 9 inches 256 pages Full Color First Edition

William Blomstedt

Just out of college, the author shares tales from a decade of working for commercial beekeeping arond the world.



Wicwas Press LLC 1620 Miller Road Kalamazoo, MI 49001 USA www.wicwas.com



Global Patties



Keep your hives strong and healthy with less effort and low cost Reduce winter loss and see faster spring build-up Help your bees thrive despite drought and stress from mites and disease

Two North American Factory Locations

Plus depots across the U.S. and Canada to Serve You Best

BAY 2 - 8 East Lake Way NE, Airdrie Alberta T4A 2J3 Phone: 1-403-948-6084 - Fax: 1-403-948-6901

> 150 Parkmont West, Butte Montana 59701 Ph: 1-406-494-4488 - Fax: 1-406-494-3511

Call Us Toll Free in North America at 1-866-948-6084

We make protein and pollen patties to your specifications using only fresh, high quality, proven ingredients. Satisfaction guaranteed

Be sure to visit our website

www.globalpatties.com

For our locations, news, ideas, specials, and much more...

Your bees will thank you



Frames - Plastic

- Super Strong and Durable
- Safe FDA food grade plastic
- Easy to use No Assembly Required




Frames - Wood

- Stronger than Industry Standard
- New 1/2" thick end bars 3/4" top bars
- Assembled, Glued, and Stapled



Snap-in Foundations

- Impervious to wax moths, rodents, and hive beetles
- Preferred by Professional Beekeepers
- Precision molded, perfect cells
- Easy to use Snaps into wood frames



Commercial Grade Boxes

- Honey Supers & Hive Bodies
- Added Strength 1 5/8" Top Joint
- Pacific Northwest Ponderosa Pine
- · Assembled, Primed, & Painted





Factory/Store Address: 680 Main St. | Riverside, CA | 92501 Get Connected | f (800) 233-2662 Made in the

IN-HIVE FEEDERS

PROTECTIVE

WEAR

Bee Culture

May Features . . .

APIARY INSPECTORS

29

Up close and personal.

Joey Caputo

TROUBLED TIMES

35

Commercial beekeepers and unique challenges.

John Miller

A GOOD DIET

36

. . . is more than just tasty food. Reprinted with permission from Science

Alexandra Nastasa

A SILVER BULLET

46

Or a brilliant dead end.

M.E.A. McNeil

FARMER KEITH

55

Don't villanize . . . collaborate.

Becky Masterson

HORIZONTAL BEEKEEPING

PART IV

58

What's next.

Tina Sebestyen

ALMOND SET VS. FINAL YIELD

63

Honey bee pollination.

Joe Traynor

NMR HONEY TESTING POLICY

Adopted at 2020 NFU convention.

submitted by Sarah Red-Laird

VARROA RESISTANT BEES GET

\$1 MILLION IN NORWAY

75

74

The Terje Stock.

Erik Osterlund

CERTIFIED NATURALLY GROWN 78

Grassroots goes a long way.

Suzannah Schneider

PROPOLIS

87

88

Valuable to you and your hive.

Rowan Brown

COMMUNICATING ON

PESTICIDES . . . HOW? 10 Rules.

David Zaruk

reprinted with permission from

European Seed

THE AZ HIVE JOURNEY

91

Everything old is new again.

Debra Langley-Boyer

800.289.7668

Executive Publisher - Brad Root

Associate Publisher, Senior Editor – Jerry Hayes, Jerry@BeeCulture.com, Ext. 3214 Assistant Editor, Design – Kathy Summers, Kathy@BeeCulture.com, Ext. 3215 Social Media, Event Specialist & Subscription Coordinator – Amanda DeSimone, Amanda@BeeCulture.com, Ext. 3255 Advertising - Jean Newcombe, JNewcombe@BeeCulture.com, Ext. 3216

Contributors

Clarence Collison • James E. Tew • Ann Harman • Kim Lehman • Jay Evans Connie Krochmal · Jessica Louque · Toni Burnham · Ross Conrad · Jennifer Berry · Ed Colby

POSTMASTER: Send address changes to

BEE CULTURE, The A.I. Root Co., 623 W. Liberty St., Medina, OH 44256

Subscription Information
U.S., one year, \$25: two years, \$48. Newsstand price: \$4.99. All other countries, (U.S. Currency only), \$20.00 per year additional for postage. Digital Edition \$15. Send remilitance by money order, bank draft, express money order, or check or credit card. Bee Culture (ISSN 1071-3190), May 2020, Volume 148, Issue 5, is published monthly by The A.I. Root Co., 623 W. Liberty Street, Medina, OH 44256. Periodicals Postage Paid at Medina, OH and additional mailing offices.

Subscriptions, Book Orders - www.BeeCulture.com • subscriptions@BeeCulture.com

Advertising - 800.289.7668, Ext. 3216; JNewcombe@BeeCulture.com

Published by The A.I. Root Co. Copyright© 2020. All rights reserved.



Bee wooly buterfly bee bush (Buddleja marrubiifolia). photo by Joan Fox

We write over 88% of the Beekeepers in the program Nationwide.

INSURANCE SERVICES

APICULTURE INSURANCE PROGRAM

A Specialized Program for Beekeepers

Available Nationwide

Offering All Forms of Insurance Including:

- *** USDA Apiculture**
- * Property
- *** General Liability**

- * Automobile
- * Life Insurance
- * Home & Farm Insurance

We are Proud Members & Sponsors of:

- * American Beekeeping Federation
- * American Honey Producers Association
- * California State Beekeepers Association
- * Florida State Beekeepers Association
- st Minnesota Honey Producers Association st Montana State Beekeepers Association
- * North Dakota Beekeepers Association
- * Texas Beekeepers Association

Kevin Rader: Buzzus@beekeepingins.com

www.beekeepingins.com 888-537-7088







800-632-3379

betterbee.com



We have everything you need to make comb honey or collect pollen from your hives!














Bee Culture's Best...

$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		THIS YEAR WILL BE VERY DIFFERENT I really mean it – just like I meant it last year.	70
GOOD READING Bee People and The Bugs They Love; Honeybee. The Bu	27 usy Life of	James E. Tew	
Apis mellifera.		THE LAND OF FLOWERS Florida.	81
FOUND IN TRANSLATION Spring Beauties and the beast.	31	Connie Krochmal	
Jay Evans		FRIEND OR FOE Wasps and hornets.	84
2019 NATIONAL HONEY REPORT All of the numbers from last year.	39	Ann Harman	
Kim Flottum		BOTTOM BOARD We fall down, we get back up.	96
A CLOSER LOOK - HONEY BEE		Ed Colby	
QUEENS They aren't perfect. Clarence Collison	51		

67



REQUEENING: A SPIRITUAL

PERSPECTIVE

Our everyday lives.

Page 31

In Every Month –	
Honeycomb Hannah What's going on in the hive?	9
Mailbox	10
From The Editor –	14
Honey Market Report How was the Winter?	16
Next Month Tasks	17
It's Summers Time! Spring meetings, poultry and friendships.	19
BEETALK Your questions answered by our writers.	20
All Around The Beeyard Good ideas from beekeepers.	23
Calendar	94

HONETCOMB HANNAH





INIAY 2020 DEE CULTURE

Clean Water

As you know, the Environmental Protection Agency (EPA) released new federal cleanwater regulations today that are less restrictive than those adopted under the Obama administration.

Thaddeus Lightfoot is a partner at the international law firm Dorsey & Whitney who has spent almost three decades specializing in environmental law. Lightfoot was previously a trial attorney with the US Department of Justice. Of the new regulations he says,

"EPA's announcement of the final Navigable Waters Protection Rule, effective 60 days of January 23, 2020, makes good on the Agency's vow in October 2019 to publish a new final rule after repealing the former Waters of the Unites States rule. It also satisfies a Trump campaign pledge and a 2017 Presidential Executive Order promising a rule that reflected Justice Scalia's concurrence in Rapanos v. United States, 547 U.S. 715 (2006). Justice Scalia's plurality opinion rejected the US Army Corps of Engineers position that "land" wet seasonally could constitute a "water of the United States" under the Clean Water Act. According to Scalia, a water of the United States should include only relatively permanent, standing, or continuously flowing bodies of water, or waters and wetlands with a continuous surface water connection between it and a permanent water body," Lightfoot

"Justice Kennedy's concurring opinion in Rapanos adopted a fact-based "significant nexus" test, observing a water body must have a "significant nexus" to a traditional navigable waterway. The US Army Corps of Engineers used the "significant nexus" test until 2015, when EPA and the Corps promulgated the final "Waters of the United States" or WOTUS rule. Although EPA and the Corps argued the WOTUS rule simply "clarified" existing law, many commentators maintained the rule expanded federal authority. The WOTUS rule was the subject of intense litigation and a nationwide stay. It was in effective in only about 20 states when EPA repealed

the rule in September 2019," Lightfoot says.

"The new Navigable Waters Protection Rule largely adopts Justice Scalia's approach in Rapanos. Emphasizing the term "navigable waters" in its title, the rule provides that only four categories of waters are federally regulated as "waters of the United States" under the Clean Water Act: (1) territorial seas and traditional navigable waters; (2) perennial and intermittent tributaries to those waters; (3) certain lakes and ponds; and (4) wetlands immediately adjacent to jurisdictional waters. There are also 12 categories of exclusions, including features that contain rainfall, all groundwater, most ditches, prior converted cropland, and waste treatment systems," Lightfoot says.

"Taken together, the rule not only substantially narrows the reach of the WOTUS rule. It also excludes most wetlands formerly within the jurisdiction of the Clean Water Act under Justice Kennedy's "significant nexus" test. Wetland types that EPA and the U.S. Army Corps of Engineers have regulated for decades are outside the jurisdictional scope of the final rule," Lightfoot says.

"EPA Administrator Andrew Wheeler opined in a statement announcing the rule that landowners no longer must rely "on expensive attorneys to determine what water on their land may or may not fall under federal regulations." But landowners and other interested parties will undoubtedly have to rely on expensive attorneys for the courts to determine the viability of the new rule. Environmental groups have already vowed to challenge the rule. And if the amount and level of intensity of litigation over the WOTUS rule it replaces was any indication, it may be many years before the courts determine that landowners may rely upon the apparent certainty in the Navigable Waters Protection Rule," Lightfoot says.

Laura Kelley w/Dorsey & Whitney LLP

Bee Culture



Global Warming Again

Bee Culture is about bees but from time to time is used to bring leftist point of view about Global Warming. About half of the article of Ed Colby is about it. (Bee Culture Feb 2020).

He starts with the sentence "Marilyn and I talk a lot about climate change." Then he writes:

"The dissenting "opinions" of a handful of nay saying "scientists" merely muddy the waters."

I am a scientist (retired) and I feel offended.

Global Warming was a scientific issue long time ago. Now it is a political tool in the hands of the same people who want open borders, medicare for all, free college etc.

Ed Colby uses their language like "Men made climate change is established science which is to say universally agreed upon in the scientific community."

Universally agreed upon science was around always. Few thousand years ago scientists claimed that earth was flat. Few hundred years ago almost all scientists claimed that sun rotates around earth (do you know how dissenting scientists were treated? Ask about Giordano Bruno burned at the stake).

So universally agreed upon science means nothing.

Our science funding is such that climate scientist must satisfy politicians or look for another job.

No matter what is the truth a movement that has such spokeswomen as poorly educated former bartender (AOC) or mentally challenged Swedish teenager is a joke. Even if you believe that earth is in trouble try find workable solutions.

Read the article in *The Guardian* by James Hansen (considered to be a father of global warming science.) "Nuclear power paves the only viable path forward on climate change".

Jacek Wierzbicka

×

I always enjoy the monthly column by Ed Colby, *Bottom Board*. He tells good stories and usually throws in some humor and actual helpful tips.

In the February issue his comments on Climate Change were excellent. He gives appropriate examples of what we are facing. Thus, science is science and incontrovertible.

The effect on various species including honey bees and humans looks grim. But, there is still opportunity for humans to change behavior. Hopefully we will have the will to act soon.

Thanks, Ed, for your comments. We will look for the winds of change.

R. Stephen Rankin, M.D. Farmington, NM

Farm Stored Facility Loan Program

Letter from John Miller to Secretary Sonny Purdue, U.S. Dept. of Ag

Dear Secretary Perdue:
Enclosed please find
information on the **Farm Stored Facility Loan Program**.

By including 'temporary refrigerated storage of honey bees' to the eligible uses of the Loan Program, beekeepers could use loan funds to construct indoor beehive storage facilities.

The amount of temporary storage capacity for beehives increases dramatically because indoor wintering is a safer way of protecting agriculture's most important pollinator.

I applied for a FSFL in 2015. We constructed the first-in-thestate indoor storage facility in North Dakota. I was informed that even though the Program allows for storage of honey, storage of beehives is not an allowed Program use. Application denied.

Beekeepers are struggling. In 2020, Honey Prices have fallen. Winter hive losses are stubbornly high. Adulterated funny hunny damages American markets.

Beekeeper access to the FSFLP to help finance temporary refrigerated storage of honey bees will really help American Beekeeping.

Can you help me?

John Miller Gackle, ND



Pesticide Seed Coatings

I was a big supporter of Jeff Anderson's lawsuit that the planting of insecticide-treated seeds constituted a pesticide application. I can't understand why he lost, since the treatment was NOT to to protect the seed, but rather to kill insects later consuming the plant (as opposed to the legit treatment exemption for fungicides).

I feel strongly that anyone introducing large quantities of any pesticide into the environment should be considered as a pesticide applicator, and be responsible.

Randy Oliver Grass Valley, CA

www.ScientificBeekeeping.com

Almond Orchards

I was surprised to read John Miller's article in the March 2020 issue about the almond orchards. I was born and raised in the Sacramento Valley. We often went for drives through the farmland in the upper valley to go fishing, and over to San Francisco to visit grand parents. My Mom always pointed out different flowers each season as we passed by. One of the most awesome to both of us was the wild mustard and wild radish flowering beneath the Almond trees in full bloom.

I moved from Sacramento in 1993 to Oregon, I was saddened by John's description and picture in his article. I'm not sure why growers have scraped the ground bare. It's not not necessary to clear "weeds" until harvest. Mr. Miller's article will hopefully get grower's thinking about the "old ways" and what seemed to be a beneficial relationship with crops and those "weeds" our bees love and need to prosper.

P.A. Wackford







We construct, build, piece together *Bee Culture* approximately two months before it is sent out to you. I am writing this on March 23rd, 2020 for the May 2020 *Bee Culture* issue. Hopefully by May all the scary Coronavirus health issues will have passed and we will have changed for the better.

I have never been to March 23rd, 2020. I have never experienced this thing called a COVID-19 Pandemic. I have never been forced to work from home, which starts tomorrow here in Ohio. I have never experienced working with Great people like Kathy, Jean, Amanda and a dozen or so fantastic writers on Bee Culture from a remote digital platform. I have certainly lived through various historical markers that for the most part I have only seen on the 6 o'clock news or PBS NewsHour. But I have never lived in a moment in History such as now. A History driven by an invisible agent. I must believe my elected governmental leaders, the media, health care and bankers. It is Scary and interesting. We don't know when it will end or what it will look like when it does and what changes in so-

ciety and culture and financial system are going to be artifacts.

I, like you are a puzzle piece on this personal and societal journey. Selfishly I don't want to be part of the older 10% who get COVID-19. And I think about and worry about my children, grand-children, long time beekeeper friends, neighbors and my community at large.

So, I am going to work from home efficiently with the goal I can bring some value to those that read Bee Culture and have trust and confidence in Bee Culture. I will get outside and take walks by myself, go to the Big Box and buy what's left off the concerning almost empty shelves and wait like you for the all clear.

Be safe. Be well and lets trust ourselves and our neighbors more than we have in the past so when we come out of this our neighborhoods, and communities, places of worship, stores, stop light and every place we get the chance for eye contact with our brothers and sisters will register friendship, respect and acceptance.

Now how about some Q&A's

Most expensive dress right now



QUESTION SMALL HIVE BEETLE LARVAE

Can you address controlling the LARVAE stage of the SHB? It seems like intervening here is a great control method, given that the larvae jump from the landing board in order to pupate in the ground below as an integral part of its life cycle. I've tried placing a few inches of pea gravel directly below the board in hopes of deterring pupation, but I've read that the larvae can simply wiggle away to "greener pastures" once they land. I'm wondering if anyone has any experience or ideas regarding interrupting the SHB life cycle by preventing pupation and therefore reproduction?

Perhaps something akin to the West Beetle Trap but placed below the landing board instead of on top of it, with a grate designed specifically for larvae rather than for the beetle itself, and that somehow prevents their escape to the outside?

I don't have a major problem with SHB, but it seems easy to control

if it's life cycle can somehow be interrupted.

Thanks, Dan in Southern California

ANSWER

Remember that SHB are a secondary predator of honey bee colonies. They are looking for a colony that is weak or weakening so they can reproduce and make baby SHB and there simply are not enough honey bees to 'guard' the colony.

Once the hundreds of SHB females have laid their eggs, an egg is an egg for 1 day, and the aggressive larvae are present with the kodamaea slime (just like cow snot) caused by a colleague yeast its for all intents and purposes over. Why try to catch the larvae? It's after the fact. You failed.

What the management goal is or should be is to be checking your colony often and if there is a visual weakening of the colony figure out why and then fix it. Most of the time its *Varroa* weakening the colony and the beekeeper has not been on the game. You are the Honey Bee manager in 2020. Do it!

QUESTION Jerry

I hope you are well. Quick question. One of my hives absconded. One week they were there and the next week they were all gone. This was a healthy appearing group of bees. I treated with oxalic acid vapor earlier in the season.

My question is, can I use the equipment and the sugar honey from fall feeding in other hives without risk?

Thanks Bill Fleming

ANSWER

First you have to understand that the colony made the decision that this hive/location wasn't a good place to be living in. They were losing population getting weaker because they were mostly like 'sick'.

Sick generally means *Varroa* and the *Varroa*/Virus Legacy. My question is did you follow the protocol in the 'Tools for *Varroa* Management Guide' developed by the HBHC (Honey Bee Health Coalition)? How often did you sample and when you treated did you sample after to see if the treatment worked?

Unless you had an AFB secondary infection most likely all the equipment and stored food resources will be OK to start another colony.

I would encourage you to download the "Tools . . ." Guide and memorize it \square

QUESTION Hi, Jerry

What is different between Russia Hybrid Queen and Purebred Russian Queen ?

> Thanks!! Vinnie

From The Editor –

ANSWER

Virgin queens' mate in an open air location called an Drone Congregation Area or DCA with Drones/males who are attracted to DCAs from miles around hoping to mate and spread their genetics. She will mate with 20+ Drones and store sperm in an organ in her body called a spermatheca for use the rest of her active life.

Impossible to control what drones from whose colonies with variable races of managed honey bees and feral populations go to the DCA. Unless the queen is artificially inseminated with declared 'pure' Russian Drone semen with the cost of the Queen at several hundred dollars or more there is no such thing.

There are no such things as Italian, Carniolan, Caucasian, German bees etc. In North America because we can't control drones in the DCA for commercial Queen production.

We have mutts.

OUESTION

I am living in Appleton, WI. Someone here has recommended to the city to make May a "no mow" month. To help with the bee population. I am not so sure it isn't just people that don't like to mow their lawn.

If it passes, it would actually be mid June before residents would be required to have their lawns mowed.

Do you think it would actually help the bees to do this? I would think maybe planting early blooming flowers may be a better idea?

Thanks for your input. Any ideas you may have are really appreciated!

Take care. Dode Walsh

ANSWER

There are approximately 50 million acres of suburban lawns in the U.S., taking approx.. 80 million lbs. of chemicals and 10,000 gallons of water each to make them look like the 18th Hole at Augusta.

In the best of cases and worst of cases grasses are wind pollinated and have little value for ANY pollinators.

Can you imagine 2%, 3%, 5% of 50 million acres being converted into pollinator friendly forage? Doesn't have to be the whole yard but may along the driveway, or next to the house or that spot in the backyard.

Short story is you are right.

QUESTION Hello Jerry

I'm a backyard beekeeper on Cape Cod. Haven't had bees for a few years because I keep losing them to the mites and other possible reasons. What is your current advice for mite treatments? Thanks so much.

Bob Baron

ANSWER

Memorize this and put into action EXACTLY and you will be incredibly more successful. I promise or I owe you lunch.

https://honeybeehealthcoalition. org/wp-content/ uploads/2015/08/HBHC-Guide_ Varroa-Interactive-PDF.pdf

QUESTION Hello Jerry

I hope you are well. When using swarm traps, should the bees be left to build out some comb and settle in for a week or should they be transferred to a empty hive as soon as possible?

As always thanks for your help. Bill F.

ANSWER

If the swarm trap is an empty container and is not using honey bee comb or beeswax as an attractant the swarm attracted to it should be relocated as soon as convenient to a hive with frames and comb/foundation. This allows them to begin consolidating their colony begin brood rearing as soon as possible. The goal.

Apologies From Bee Culture

In the March issue, the entire team responsible for the U of Montana Master Beekeeper's Certificate research project, North American Beekeepers' Communication Database, was inadvertently omitted. The team included Cesare Del Vaglio, Anastasia Bake, Julie Cahoj, James Harper, Wayne Hodgdon, Melvin Leedle, George O'Neil III, with assistance from Tracy Klein.

Project Apis m.

Your "go-to" nonprofit honey bee research organization, with programs in the USA & Canada

PAm is dedicated to enhancing the health of honey bees while improving crop and honey production.



PAm has infused over \$6 million to support honey bee health since 2006:

- * Funded BIP Tech Transfer Teams
- * Produced BMPs
- * Scholarships for PhD students
- * Expanding forage resources
- * Invested in new technologies
- * Discovered new pathogens
- * Supporting long term stock improvement, bee germplasm preservation, new Varroa controls

You can help support PAm www.ProjectApism.org

Project Apis m.

MAY - REGIONAL HONEY PRICE REPORT



REPORTING REGIONS									Llic	History		
			MMILS		MΔRY	ΛΔRY –		History				
	1	2	3	4	5	6	7			A #1	Last	Last
EXTRACTED HO								Range	Avg.	\$/lb	Month	Year
55 Gal. Drum, Ligh		2.21	2.23	2.38	2.34	2.03	2.10	1.05-3.00	2.17	2.17	2.22	2.23
55 Gal. Drum, Aml	209.85	2.15 186.40	2.16	2.35 186.94	2.00 155.00	1.87 196.79	2.00 220.00	1.35-2.50 105.00-325.00	2.07 204.69	2.07 3.41	2.14	2.08 195.46
60# Light (retail)											212.92	
60# Amber (retail)	214.70	100.07	191.25	104.44	214.70	189.46	220.33	119.74-325.00	207.03	3.45	211.04	192.47
WHOLESALE PRICES SOLD TO STORES OR DISTRIBUTORS IN CASE LOTS												
1/2# 24/case	95.14	75.50	101.51	74.80	61.20	90.00	95.14	57.60-144.00	89.49	7.46	91.23	87.71
1# 24/case	140.81	125.32	135.45	108.69	134.00	147.66	136.20	86.40-211.20	132.82	5.53	130.13	126.79
2# 12/case	125.20	96.58	119.08	101.20	111.84	116.40	114.00	78.00-192.00	115.39	4.81	120.90	112.61
12.oz. Plas. 24/cs	111.46	101.17	100.00	91.25	83.76	110.32	103.20	66.00-175.00	102.41	5.69	104.66	99.52
5# 6/case	130.46	110.06	122.83	124.70	113.16	132.00	130.46	52.99-210.00	129.43	4.31	135.08	128.77
Quarts 12/case	159.63	154.16	136.80	142.80	151.23	169.71	144.00	109.20-222.00	153.66	4.27	158.64	151.89
Pints 12/case	110.41	93.70	83.25	82.00	111.00	90.04	84.00	60.00-192.00	94.81	5.27	90.70	99.52
RETAIL SHELF P	RICES											
1/2#	5.21	4.63	4.51	4.44	3.89	4.72	6.38	1.98-9.00	4.92	9.85	4.95	4.94
12 oz. Plastic	6.96	6.14	5.66	5.01	4.58	6.25	5.90	3.50-12.00	6.17	8.22	6.09	6.12
1# Glass/Plastic	8.05	7.54	7.66	6.45	6.67	7.23	9.88	2.50-14.00	7.86	7.86	7.79	7.46
2# Glass/Plastic	13.98	12.61	13.36	11.23	11.75	11.66	15.25	6.70-23.00	13.11	6.55	13.52	12.51
Pint	12.32	10.83	9.21	8.73	10.63	9.98	10.80	6.00-22.00	10.65	7.10	10.33	10.22
Quart	21.36	17.33	15.81	15.21	17.62	18.32	18.86	9.00-40.00	18.21	6.07	18.14	17.88
5# Glass/Plastic	30.06	27.85	37.24	26.17	24.93	23.72	30.06	15.89-48.00	28.18	5.64	29.14	26.43
1# Cream	10.41	8.57	8.00	8.70	10.24	7.75	9.67	6.00-16.00	9.82	9.82	9.89	9.40
1# Cut Comb	13.50	12.99	10.39	9.60	12.67	11.25	14.00	6.00-24.00	11.99	11.99	11.51	11.61
Ross Round	9.89	7.40	9.89	9.89	9.89	10.50	12.49	6.00-13.50	10.02	13.36	9.52	9.33
Wholesale Wax (L	t) 8.16	4.78	5.75	5.77	6.13	6.30	10.50	3.00-16.00	6.81	-	6.64	6.44
Wholesale Wax (D		4.38	4.18	4.17	5.55	3.00	5.55	2.00-10.00	5.10	-	5.23	5.77
Pollination Fee/Co	l. 95.61	77.17	71.67	90.00	95.61	95.00	67.50	50.00-160.00	86.22	-	92.39	86.96

NEXT MONTH



Honey Reporters Wanted

We are expanding our Honey Reporter population and need new reporters in EVERY region. We ask that you fill in most of the wholesale or retail or both sections, most months, and our short survey on the back. We give you a FREE subscription for your service. So if you are interested send an email to Amanda@BeeCulture.com and put REPORTER in the subject line. Include name, email, phone number and mailing address and we'll get you the next Honey Report form. Sign up today and be a part of the BEST Monthly Honey Price and Beekeeping Management Report in the industry.














ORGANIZE.

MANAGE.

GROW.





APP

TO GET STARTED OR FOR

MORE INFROMATION VISIT

WWW.THEBAPP.COM

CONTACT US: MARKETING@THEBAPP.COM OR (480)530-4266





St's Summers Fime –





Ouestion 1

Do I need to sample for Varroa now, should I?

A. I am writing this form a Northern Ohio perspective so depending upon the temperature, you may or may not want to expose the brood to outside temperatures. I have looked at some brood on warm days and worried about the amount of heat escaping. The remaining bees have to consume their stores to obtain the energy to maintain a steady temperature for the brood. Opening the hive disrupts their efforts.

If it is too chilly to access the brood, and the hives have a screened bottom board, simply slide a white board ('plenty of election signs to choose from!) and spray the white side with cooking oil. Slide the board, white side up, under the hive and pull it out in 24 hours. The Honey bee Health Coalition provides guidelines for the level of mite infestation depending upon the stage in which the bees are developing. The guide says that a mite level over 1% (1 mite/100 bees) is the limit at this time, which is about 24 mites on a drop board in 24 hours. See the guide at https://honeybeehealthcoalition.org/varroa/

If the hives have a solid bottom, you may want to wait for the warmest day to do a quick alcohol wash of the bees when they have broken cluster. You may want to take a smaller sample if the bee population is low. A low population of bees may indicate that mites have already impaired the colony. The colony should have a mite level of 1% or less, so less than 1/100 bees. **Barbara** Bloetscher, OH

A. Yes, you should definitely sample for Varroa ASAP! Overwintered hives often have a Springburst of Varroa populations given the exponential and quick growth the bees experience along with the flower burst as you mention. It is best to sample at least 1x per month using the alcohol wash, if possible. If you are accustomed to using sugar shake, no worries continue to use it, the key is being consistent so vou can have comparison data throughout the season. I challenge you to experiment and see if counts differ using both methods!:) Always take the time to sample, this vital in managing honey bees! Kim Skyrm,

A. The way your question is phrased makes me think that you look at monitoring colony conditions as too disruptive, and something that might better be left until later. The truth is that monitoring is important at all times, and disrupting the bees for a day is not nearly as hard on them as fighting through high mite numbers, or an outbreak of Chalkbrood (a spring disease) will be for them, for instance. As far as counting for mites, keep in mind that numbers will be artificially low in spring, as a higher proportion of adult mites will be behind cappings, reproducing. This is reflected in the lower "acceptable percentage" listed on the HoneyBeeHealthCoaliton website, which will also tell you what can be done at this time of year. Tina Sebestyen, CO

Question 2

Do I need to treat for Varroa?

A. See #1 - If the mite level is above 1%, you should treat. If the queen is affected, her progeny could have viruses vectored by mites. If the nurse bees have mites, the developing larvae will have mites as well. With a forecasted long wet Spring, you will need as many forgers as possible to find whatever is flowering. Bees damaged by mites have shortened lives and often can't function in a hive. Let's not start the spring with sick bees. Barbara Bloetscher, OH

A. Possibly, it depends on what you get when doing your sampling - if sample value is between three to nine mites, consider treatment,



if value is below, no need to treat, but continue to sample monthly. Remember if you do apply a treatment, sample BEFORE and AFTER. The AFTER is what most folks forget, and then bees/beekeepers suffer trying to remedy poor hive health situations in a pinch. Applying mite treatments when Varroa populations are very high, is often too late, so sample often, sample consistently, sample, sample! Kim Skyrm, MA

A. For myself, any colony that had higher than 0 count in September got a mid-Winter OA treatment, so I probably won't need to use a miticide in Spring. Tina Sebestyen,

Ouestion 3


Do I need to bust open a hive and look for other pests and diseases?

A. I would be very careful opening colonies in early Spring. Bees use propalis to glue the box and frames together and block out cold air if the hive corners are broken or damaged. "Busting open a colony" sounds more disruptive than necessarv.

Look for debris that has fallen on the bottom board. Pieces of bees and comb may indicate that a mouse has moved in. The mouse/mice are probably in the bottom box. Remove the top boxes together if possible to look in the bottom box. On a warm day, you can remove the top boxes and check for mites and mice at the same time. Don't disrupt the frames or boxes any more than possible though as the bees will need their insulative propolis for the upcoming months. Barbara Bloetscher, OH

your area. It is best to do a Spring inspection for overwintered hives to see what you are working with an set the stage on your seasonal management. If the hive is dwindling -"Spring Dwindle" you may need to consider getting additional colonies to boost your apiary numbers and revitalize. How is the queen looking - wings tattered? age? Queen viability is the key to Spring buildup and ultimate seasonal colony success - if she is not in great shape physically and the brood pattern (i.e. location and amount of eggs/larvae) are not great, then perhaps, you need to order a queen ASAP to replace that ole' girl - queens do not last forever, like most things in life, we all have an expiration date. How are food stores - Do they need to be fed? Bringing in pollen? Food is key to producing new bees, so you may want to consider feeding if the hive is light .: (Regarding pests and disease, it is a great idea to check on brood, particularly larvae - they should bee "pearlywhite" and "C-shaped" if you do not see this, then consider taking a sample and sending to USDA-Beltsville Bee lab for diagnosis. There are great guidelines on sampling listed on the website: https://www. ars.usda.gov/northeast-area/ beltsville-md-barc/beltsville-agricultural-research-center/bee-research-laboratory/docs/how-tosubmit-samples/ Kim Skyrm, MA

A. Culling the first sheet of drones is a great way to help the bees keep mite numbers low, and should be done even in colonies that had a 0 count in fall, because there are really never 0 mites in a colony. Tina Sebestyen, CO





sailorplastics.com

1-800-380-7429

Visit our website

for all of your



C.F. Koehnen & Sons, Inc.



Italian & Carniolan Queens
Packages
Queen Shipping Supplies

3131 Highway 45 Glenn, CA 95943

ph (530) 891-5216 www.koehnen.com fax (530) 934-2613 bees@koehnen.com

ALL AROUND HEBEYARD

Number 1 Tip of the Month - Bee Collector

DIY Bee Collector for Mite Tests

Control and testing for *Varroa* mites continues to be a challenge for beekeepers. I felt there must be an better way to collect that ½ cup of bees for a powdered sugar or alcohol test. I was never a fan of shaking bees into a tub and scooping them out or of scooping straight off the brood comb to get the bees needed for the test. I devised a single frame bee collector as described below.

Cut a ¾-inch thick board or ¾-inch plywood scrap into 1 3/4 inch wide strips. You will need about four feet which will get cut into five pieces. You will also need a 19% x 171/4-inch piece of luan, 1/4-inch plywood or tempered hardboard panel for the two sides, most any material will work, but I like the light weight of the luan. Cut the 1¾ inch wide strip at 45° on both ends with two pieces each 11 inches on the long side, two pieces at 45° on only one end that are 91/2 inches on the long side, and one piece that is 6½ inches at 45° on both ends on the long side. The two pieces with a straight cut get a 1/4-inch deep x one-inch wide notch where the brood frame rests. These notches stick up about %-inch above the luan sides making it easier to grasp the inserted brood frame. The shortest piece is the bottom and will need a 11/2inch hole through the center with a hole saw or 1½-inch wide drill bit. The pieces are assembled as shown in the picture where one side of the luan is missing. The piece with the hole gets a plastic canning cover mounted with the same 1½-inch hole. Fasten the cover to the bottom wood strip with small flat-head screws leaving enough space where the jar screws into the lid lip so as not to interfere or chip the jar glass.

Cut two pieces of luan or sides of your choice at 19% (the same length as a Langstroth hive with ¾-inch walls) x 17¼ inches and lay out the 1¾-inch strips to mark where to cut the 45° bottom corners off. Nail or

screw the luan sides to the 1%-inch strips as shown in the bottom picture. Fill a pint jar with ½ cup of water and use a permanent marker to mark this water level on the outside of the jar. (½ cup gives you about 300 bees.) Cut a circle of ½-inch hardware cloth to fit snuggly in the top of a canning jar ring. A second plastic lid can be used when shaking/coating the bees.

Once assembled insert a brood frame of bees and with just a shake or two enough bees fall into the jar. Remove the jar and screw on the 1/8 hardware cloth lid, add powdered sugar or alcohol and replace with the solid lid to shake for a bit to continue the mite check. There is plenty of info on other sites as to how this mite check works so I will not cover it here. The dimensions are for deep frames so if you are using only mediums you can adjust sizes accordingly. Happy beekeeping. *Richard Wahl, Richmond, MI*



When I visited my brother in Ohio, I saw the perfect idea for all of us screened bottom board guys.

Take old chair cushions or sofa cushions apart and using a bandsaw, cut up the foam pieces inside into one-inch strips, 15 inches long and use the strips as entrance closures to move hives or splits. You can press it in and it will expand to any size openings. The one-inch square strips can also be pulled apart by hand to make small pieces for closing upper entrances. *Enos Miller, NY*



The lines on our skin hint at our age. Our backs ache, our knees creak and every morning we take that first step out of bed unsure if our legs will hold, but they do.

Our tools are covered in wax and propolis from decades of use. We clean them from time to time but our smoker's bellows still push calming puffs out and that's all that matters.

We're not new to this like some. We've seen 'em come and go over the decades. When you've been in the game this long you're bound to say goodbye to old friends from time to time.

Yet, after all these years there's still no quit in us. We pour our heart and soul into it, it's our livelihood and we wouldn't want it any other way.



Are you ready to see what over 150 years of experience can do? Contact us today and let Dadant help.



New For This Summer -



The Sentinel Queen Bee Women's Beekeeping Suit – The Modern Beekeeping Suit designed exclusively for Women

For beekeepers, stings are an occupational hazard – which is why in 2018, we launched our 'virtually sting-proof' Sentinel Pro Bee suit.

We're delighted with the fantastic response from beekeepers who have told us how the suit has revolutionized their chosen pastime. Extremely lightweight, it keeps you cool in Summer months and offers the protection needed against bee stings – therefore giving the beekeeper more confidence when working with bees.

Since then, we've had many requests for a suit specifically designed for women. Having spent some time looking into the prospect, we could see that all bee suits are sized generically – without consideration for a woman's size and shape. So, after much research and delib-

eration, we made several prototypes, and finally, the Sentinel Queen Bee Range was born.

Now we can offer women a bee suit that's designed to fit from size 10 to 24 in a subtle shade of lilac. It has all the features of the Sentinel Pro range, but importantly it is designed to fit the characteristics of the female body.

- AVAILABLE IN UK WOMEN'S SIZ-ES 10-24
- GREATER PROTECTION THAN CONVENTIONAL BEEKEEPING CLOTHING
- THE VENTILATED BREATHABLE MATERIAL HELPS KEEP YOU COOL
- PREVENTS BEE STINGS
- LIGHTWEIGHT, COMFORTABLE & PRACTICAL TO WEAR
- DESIGNED BY A BEEKEEPER FOR BEEKEEPERS

Features of the Sentinel Queen Bee Beekeeping suit include:

- Dual security at neck junction
- Excellent visibility through strong, clear view veil
- YKK durable zips
- · Velcro fastening at cuffs
- Waterproof kneepads
- Two lined hive tool pockets
- Queen marker pen pocket on sleeve
- Mobile phone breast pocket with zip fastening
- · Extended ankle zips
- Detachable interchangeable hat or veil
- · Machine washable
- The suit is lightweight, weighing just 1.2kg
- Matching gloves available

For more information and to purchase visit **www.oldcastlefarm-hives.com**.

If you rip a hole in a net, there are actually fewer holes in it than there were before.

The Upstairs Downstairs Intrance from BeeSpace in the UK

The basic kit contains four entrances. Normally, three are placed in the bottom brood box in place of the standard long opening, and one is placed further up. The kit can be used with either wood or poly hives as long as they have standard dimensions that respect bee space. Following the instructions included in the kit, you start by drilling three one-inch holes in the bottom brood box. A super-sharp, high-quality **Forstner bit** is included, should you need it.

The UD Intrnace starter kit contains all the parts you need to convert your current hive.

Inside the brood box you attach three internal entrances with the stainless-steel screws provided. These are plastic devices with openings on the bottom that direct the bees downward to get inside the hive. The space inside the plastic device is like a vestibule of sorts. From outside, the bees enter the one-inch hole and then must go through a second opening onthe bottom ont he device to actually access the hive.

The fourth internal entrance is included for installation into an upper brood box or a honey super, depending on your set up. In addition, **four solid plugs** are included that can be used to reduce wintertime ventilation or for temporarily closing your hive to facilitate oxalic acid vaporization. On top of that, the standard kit also contain **four vented plugs** that can be used to keep the bees indoors during pesticide spraying or to quickly block extra entrances in case of robbing.

For more information on the product and on pricing visit **www. beespace.xyz**.









WOODENWARE

Durable & Affordable



POLLEN PATTIES











- Contains both binomial and monomial sugars
- Stimulates bees & helps them put on weight
- Won't ferment like sugar water
- Ready to feed to your hives

Also available in 21/2 gallon and 5 gallon sizes!



Good Reading For Strange Times –

BEE PEOPLE And The Bugs They Love. Frank Mortimer. Kensington Publishing Corp. www.kensington. com. ISBN 978-0-8065-4083-2. 5.5" x 8.5", 312 pages, hard cover, black and white, \$25.00 at book stores.

This is far more about the people who keep bees than the bees themselves, but it does a pretty good job of telling about them also. The author, who has written a few pieces for this magazine, is the president to the Northeast Beekeepers Association and has guided it well in the decade he's been in that position. He's also a Master Beekeeper, so has done much of the homework needed to do right by his bees.

He's also met some really interesting people in his day, and, not surprisingly, some of these people are just like the beekeepers you've already met, or will if you stick to this long enough. Knowing them is one thing, knowing about them before you meet them is altogether different. You'll see.

There's lots of learning going on here, and if you haven't already stated with bees the author goes over a lot of things you won't have to learn the hard way, which is how a lot of beginners seem to learn.

First packages, first spring, first summer, first harvest, first bee meeting, mentors, friends and neighbors.



As he learns, he makes mistakes, just like we did. But if you haven't started yet, you can avoid some of the most common, and, most dangerous of these and save your self a whole heap of trouble.

If you are just getting started this is background you should be aware of. You'll end up meeting some, maybe most of the people Frank meets, because beekeepers tend to be more alike than not. You'll see these people here, before you meet them out there.

 $Kim\ Flottum$

HONEYBEE. The Busy Life Of Apis mellifera. By Candace Fleming and Eric Rohmann. Published by Neal Poter Books:Holiday House Publishing Inc. 40 pages, 10" x 12", color, Hard cover. ISBN978-0-8234-4285-0. \$18.99.


This multiple award-winning duo has published a whole library of children's books about all manner of topics, and this exceptional example should gather them even more awards.

The full-page art is extraordinary in detail and color and design, and it simply and completely describes the life of a bee. She emerges from her cell and begins to eat. After a bit she begins cleaning other cells, then starts taking care of her younger sisters. Next comes queen care until she's about 12 days old. Building waxen combs then is her job, and she's waiting, waiting to fly. But not yet.

Guarding is next, keeping out the bad guys and helping keep her home safe. But finally the day arrives and she can fly, finding millions of flowers and coming home filled with nectar and carrying all the pollen she can muster. And she returns triumphant, sharing what she has found, and where she found it with her very, very happy dance. But, gradually she grows old, becoming thin, losing hair and hardly flying at all. And one warm, sunny morning, Apis is still. But back at the nest a new bee is born, and the life of the colony and cycle of her bees continues.

At the end of the book there is a drawing of a bee showing, and explaining, all of her body parts, and a couple of pages of what people can to do help bees and beekeepers. There's even some references for more of this story. If there is a child

in your life, this is a must share story book. And I think maybe even experienced beekeepers will learn something from this up close and personal story. Kim Flottum







Taking May through Fall Italian Queen Orders



May 18th- August 31st
Free Next Day Air Shipping on Counts of
100 Queens

Over 100 Years of Commercial Package Shipping and Queen Raising Experience

RobertsBeeCompany.com



Call Today to Place Your Order (912) 427-7311

Short History of your state Apiary Program:

In the late 19th century, beekeeping was common in the territory of Utah; foulbrood diseases were too. It became so difficult to control the spread of these pathogens and keep colonies healthy, that the state's beekeepers sought help from the esteemed entomologist A.J. Cook of Michigan Agricultural College. Cook helped organize a statewide beekeeping organization to coordinate disease interventions. The first president of this organization Oliver B. Huntington and newly formed organization lobbied the territorial legislature to pass a bee inspection act. It is believed that the Utah Apiary Program is the longest continuously operating bee inspection program in the United States.

Source: A. Glen Humpherys, "Oliver B. Huntington and His Bees," *Beehive History* 2 (1976).

2-3 Interesting facts about your program:

1) Utah is one of only three states in the U.S. that has county (in addition to state) bee inspectors. The other two being California and Ohio.

2) Southern Utah is home to three unique haplotypes of Africanized honey bee.

Source: Szalanski et al., Undated. Genetic Variation of Honey Bees (Apis mellifera L.) from Utah. University of Arkansas Division of Agriculture.



State Inspector Stephen Stanko (r) with a Utah beekeeper.

APIARY INSPECTORS

Joey Caputo, Utah

2) Chalkbrood was first detected in Utah in 1965.

Source: Baker, G.M., Torchio, G.M., 1968. New records of Ascosphaera apis from North America. Mycologia 60, 189–190.

Overview of beekeeping in your state- Honey production, crop pollination etc:

Honey production 2018 – 1,066,000 pounds

Honey bees provide pollination services for Utah's apple, berry, cherry, peach, melon and squash industries.

- # of Beekeepers: 2019 1,600 registered (UDAF)
- # of Colonies: 2018 26,000 (USDA NASS)

Upcoming (or recent) events in your state:

2020 SLC Bee Fest (June) https://catalystmagazine.net/slcbeefest/

5th Annual Utah Honey Bee Health Conference (November) https:// ag.utah.gov/farmers/plantsindustry/apiary-inspection-andbeekeeping/ Share a short story from an exciting day on the job- (could be a best, worst or anywhere in between):

A few years ago, an elderly lady called a state inspector to request an inspection of a recently installed package. Before the inspector opened the hive, the beekeeper noted that under the advice of another apiarist she had added a box recently so that the bees would not become too crowded. When the inspector opened the lid, he saw that sure enough a box had been added, but there were no frames inside of it! The bees had haphazardly drawn out comb everywhere. The inspector carefully removed the freeform comb, piece by piece and shook the bees into another box with frames. It was a messy and tedious operation, but the bees were safely transferred. BC



Feral colony in southern Utah.



Big beeyard in Utah.





Pro-Sweet Liquid Feed gives your bees the carbohydrates they need to stay buzzing and unlike plain sugar water will not ferment or crystalize. Pair it with our Pro Health Feeding Supplement and your bees will be stronger, healthier, and encouraged to draw out new foundation even faster. Pro-Sweet + Pro Health equals superior feed for your hardworking bees.

Pro Health

Pint jug (FD-350)...... \$28.95 Gallon (FD-351)...... \$119.95 5 gallon (FD-352).... \$399.95

Pro-Sweet

2½ gallon (CN-076).... \$39.95 5 gallon (CN-075)...... \$69.95 *Available in bulk. Call 800-233-2899 for commercial size orders. Pro Sweet available for bulk pick up!





Kelley Beekeeping

SERVING THE BEEKEEPER SINCE 1924

1-800-233-2899

www.kelleybees.com

FOUND IN TRANSLATION

Spring Beauties And The Beast

Jay Evans, USDA Beltsville Bee Lab

This was to be an article on May flowers, another expression of my (well hidden, even to me) insights into the plants that are everything to bees and our food chain. Indeed, early garden seeds are in the ground as I write this, trees are attracting bees, and you can taste and smell Spring. When *Bee Culture* comes out in May, the salad greens we've planted will be ready to gulp down, and I can't wait. Nevertheless, I am unable to think of much beyond infectious diseases right now, and

viruses in particular. COVID-19 has upended many of our lives and has already brought its share of tragedy to the world. COVID-19 also comes with a worldwide cloud of worry, as we fear infections ourselves, sharing infections with neighbors and loved ones, and the effects this is having on our remarkable species as a whole.

One of the saddest parts of the current pandemic is the imperative for social isolation. I don't mean the "Spring

breakers" who are curtailed from Florida beaches. They might well benefit from less sunburn and less indulgence in liquids that are best used to sterilize their hands. I am thinking of our normal circles: contacts with friends and family, caring for neighbors, chats on the street, hugs. My own young-adult daughter is self-isolating at someone else's house, making me long for the days of looking at her eating cereal in the morning, completely undefended against an attack of dad jokes. Thank goodness for the grid of electronic communication. If that falters by the time you read this, just know that the silencing of those jokes will hit hard (the latest was the guy trying to telework saying, "my coworker has just LOST it, she chases the mailman, pees on the neighbor's property, and won't come back inside, I'm calling HR!").

What is truly missed worldwide is the ability to stop by and check on elderly neighbors, the abilities of spouses and friends to visit people in assisted living, rehab, or prison settings, and the million other ways we as a species help each other. All



of these are more challenging in the short term, although brave caretakers are doubling down to make sure everyone is emotionally and physically attended to. It is also fine to mourn the silencing of bee clubs, wherein the most senior of the club's members would right now (March) be showing newbies how to install packages, and would in May be arguing about splits, how early they can possibly treat for mites, and how to get a few pounds of honey from those first packages. These meetings will be back, and for now there are many thoughtful translations of this wisdom. I like "Beekeeping: My First



Years" which my *Bee Culture* editors seem to think I will need indefinitely, and they are right!.


Enough about our species, this is a bee magazine and there are plenty of smarter people discussing the human predicament. Instead, I am thinking of hopeful signs that honey bees can and do solve their own disease challenges. As beekeepers know, honey bee colonies take the bad with the good. They tower over other pollinators not just through individual smarts (although they

have plenty of that, as leading bee researcher Dr. Gene Robinson has https://lab. shown, igb.illinois.edu/robinson/) but through their relentless cooperation. While most bee species thrive on solitude, a solitary honey bee would lack purpose in all ways. Bees in a healthy colony can direct thousands of nestmates to flowers or nest sites and can defend against bears that outweigh them by 2,000,000 times (yes, I

looked that up). At the same time, honey bees live in close quarters and share microbes in ways that make germophobes cringe. Entire bee colonies can be brought down by disease, and they are, but that is not the norm. Despite being attacked by everything from viruses to bears, honey bees persist. They have even worked out the social isolation thing. As a group, hygienic bees enforce social isolation. This group of bees, appropriately 'nurses' for the most part, protect the mother ship just like our immune cells do within us, and our nurses and doctors do at the group level. At some risk



with SUNDANCE" POLLEN TRAPS and COMPLETE ROSS ROUND SUPERS.



SUNDANCE POLLEN TRAPS

Imagine the cleanest pollen available with no heavy litting chalkbrood murmies or nik of foultwood scales. There is no substitute for the **Sundance Trap** quality and clearliness. Leading experts from the USDA and universities as well as commercial beekeepers and hobbyists agree that **Sundance Traps** are the best poller traps available. <u>It's NOT a pollen trap</u>, unless it's a Sundance Trap!

COMPLETE ROSS ROUND SUPER

Procupe comb honey with no dapping from out edges and no liquid honey in the consumer package with **Ross Rounds** equipment. Easily shipped or delivered, stocked on shelves, purchased and taken home without danger of leaking. Enjoy providing locally grown, unprocessed, all-natural honey with a complete **Ross Rounds Super**.

For more information visit www.RossRounds.com. For dealers near you please email sales@rossrounds.com.





ROSS ROUNDS & SUNDANCE ARE RECESTREED TRADEMARKS AND ARE A DIVISION OF FINGER LAKES BEE COMPANY LLC. ALL RICHTY RESIRVIO

New England Beekeeping Supplies, Inc. EST. 2006

NEW ENGLAND'S NEWEST AND MOST COMPLETE BEEKEEPING SUPPLY HOUSE!

TOUR OUR NEW FACILITY!

Saturdays—10AM, 12PM, & 2PM Sundays—1PM 7 Locust Ave • Tyngsboro, MA

THE COLONY
"HONEY, BEES, MEAD & MORE"

Home of...

OPEN 7 DAYS A WEEK

 $\label{eq:m-wave} $\text{M-W \& Sat} - 9\text{Am-5PM}$$ Th 9AM-7PM & Sun 10AM-2PM

RAW HONEY

RETAIL

WHOLESALE

BULK



MEAD

Made by our beekeeper



new england BEEKEEPING

honeyBound

carlíslehoney.com

Nebees.com

honeyboundmeadery.com

We supply 3lb packages with queens in April & May. We supply 5-frame nucs in May. Queens are available April -September. All items must be picked up at our store in Tyngsboro, MA. **2020 PACKAGES AND NUCS ARE NOW AVAILABLE TO ORDER!** Please visit nebees.com or call our store for more information, 978-957-2233.

to themselves, they remove diseased bees, groom parasites and spores from their nestmates, and generally fight back against the biological enemies of the hive. How they do this has been a topic of study since the days of Walter Rothenbuhler and students at Ohio State University, and the subtleties of nurse bee diagnostics and care continue to be revealed. Hygienic behavior depends on bee diagnostics. Not the types that employee bee scientists and commercial outfits, but the kind bees do on their own. Like other animals, honey bees pick up smells from their environment and the perception of these smells primes them to act. If you want a quick review of bee pheromones check out an excellent Youtube lecture on "Applying The Basics Of Honey Bee Biology" by my esteemed colleague Dr. Clarence Collison, from minute "15:00" onward. This lecture (https:// www.youtube.com/watch?v=pULjCfKX8_k) and several linked ones on bee biology by Dr. Collison are well worth the time, even when you aren't practicing social distancing. Sujin Yi and colleagues at Incheon University, including longtime bee researcher Hyung Wook Kwon, recently updated the world on cues used by bees to sniff out American foulbrood disease (Volatile disease markers of American foulbrood-infected larvae in Apis mellifera, Journal of Insect Physiology, https://doi.org/10.1016/j.jinsphys.2020.104040). Three volatile (smelly) compounds released by sick larvae trigger reactions in nurse bees and presumably help them tend to these larvae while ignoring the many healthy ones. My searching of the internet also shows that two inspiring researchers, Drs. Kaira Wagoner and Olav Rueppell from the University of North Carolina-Greensboro (Dr. Rueppell is now at the University of Alberta), have recent patented "Methods and compositions for inducing hygienic behavior in honey bees", (https://patents.google.com/ patent/US10524455B2/en). Given these advances there will likely be additional practical outcomes from the decades of studying how bees react to and suppress disease threats from within. That is good news for breeding and medicating, a hopeful sign for a challenging spring.

I am not sure there is a lesson in



this for us, as we face our own pandemic, but I have hope. First, our own 'noses' in terms of disease diagnostics are enviable, and the knowledge derived from our ability to identify and act is power. Second, I would put a lot of trust in, and thanks for, our nurses and doctors, and anyone else who is honestly working to calm and help us in this or any crisis. Finally, there is nothing like a crisis to remind us we are all in this together, and our actions, good and bad, impact humanity. There has been an overwhelming amount of shared science during this crisis and that has to prime some solutions. Be well bee friends, spring is still spring and beekeepers old and new will get through this. Help a nestmate if you can. BC

Photos courtesy of Peggy Greb, USDA-ARS

What do you need in honey bee diagnostics?

During 2020 our team will conduct a survey of colony management needs for beekeepers of all scales and experiences. This project is supported by the U.S. National Science Foundation under its I-Corps customer discovery program (https://www.nsf.gov/news/special_reports/i-corps/teams.jsp). If you are interested in participating, please send your preferred email to BeeSurvey2020@gmail.com.

David Hawthorne, Department of Entomology, University of Maryland Jay Evans, USDA-ARS Bee Research Laboratory Jerry Hayes, Editor, Bee Culture Raymond Peterson, Granite Point Ven-



"We love your uncapper!

It's the best!"

Steve Hiatt Bowman, ND

We sell liquid sucrose and 55% High Fructose Corn Syrup as feed for your bees.

Dakota Gunness, Inc.

P.O. Box 106, Abercrombie, ND 58001 888.553.8393 or 701.553.8393 dakgunn@rrt.net • www.dakotagunness.com



It's time to Spring into action with the Sentinel Apiary Program

- Use our lab diagnostics to monitor Varroa & Nosema
- Ensure your treatments are effective
- Receive 6 months of specialized reporting
- Gain insights to national/local trends
- Great teaching tool for clubs
- Take your beekeeping skills to the next level
- Kits starting at \$275



For more info or to sign up please visit:

beeinformed.org/sentinel



Be Included. Be Involved. Bee Informed.

Using beekeepers' real-world experiences to solve beekeepers' real-world problems.

Find us on Facebook and Instagram!



TROUBLED TIMES

Commercial Beekeepers And Unique Challenges

John Miller

Here are a few economic impacts beekeepers might anticipate during the remainder of 2020. These are troubled times. Operations providing pollination services, engaged in honey production, honey producers and producer/packers face unique challenges and opportunities.

I'll list a few. Others – please make observations. I have learned that all the good ideas are not John's.

Beekeepers now have their almond checks. These checks are vital to surviving the rest of 2020.

Take care with that cash.

Several opportunities come to mind. Fuel expenses and freight expenses should drop. We know no one ever passes along every saved penny when prices fall. Assume a 75 cent drop in fuel prices. For diesel fuel, this represents a 25% price change from \$3.00/gallon to \$2.25/gallon. If your operation consumes 50,000 gallons of fuel annually; look forward to \$37,500 in savings.

We all contract for freight. Harbor-sourced truck volumes have sharply fallen. Lots of trucks chasing not so many loads. Look for lower shipping costs.

Global sugar prices have fallen. Brazil is a major global producer. In a currency exchange situation, the dollar is now strong; the Brazilian Real is weak, aggravating the recent 20% slide in global sugar prices. In a recent article by Wall Street Journal writer Joe Wallace, traders now estimate over a million tons of sugar will not be consumed in 2020. If your outfit feeds 1.5 Million pounds of feed; and the price drops from .32/lb. to .28/lb.; those four cents = \$60,000 in savings. However, never underestimate the power of

the Congress to enact stupid public policy. Sugar is protected. Pollination is not.

Beekeepers using the H-2A program [1870 H-2A workers in N.D.] or domestic workers will likely see little wage adjustment relief. Labor is beekeeper's biggest expense.

Perhaps the most important data set beekeepers and almond growers will watch is: Monthly export volume. 2020 began with a very small prior vear almond crop carryover. Export sales are a growing majority of the almond market. If export markets loose 100-200 million pounds during 2020, the market should be ok. If exports drop >500mm pounds in 2020; the carryover into 2021 will be significant. What might an almond grower consider? Trees planted prior to 1990 should be harvested in 2020; then pushed out. Growers know 300,000 acres of non-bearing acreage will begin producing in 2020 & 2021.

By removing 100,000 acres of endof-cycle trees, almond growers might blunt the supply increase in 2021.

The important consideration in the U.S. Honey Market: **U.S. produced honey has never been to Asia.** On March 14, 2020 – in Fargo, North Dakota Costco store, where the water shelves were empty – sparkling water from Italy sat ignored. One shopper saying to another, 'Oh don't by Italian water, they have the flu.' A perfect illustration of how markets can remain irrational a lot longer than my bank account can stay solvent.

These are a few thoughts, not all the ideas. Be careful with operating cash, always. The Black Swarm of 2020 is a good reminder. As Kim Flottum said . . . 'Keep your hive tool sharp.' I am not sure what Jerry would say.

Jerry says; "What doesn't kill you, makes you stronger" BC





A Good Diet


... Is More Than Tasty Food

Alexandra Nastasa

A good diet is about more than just good food. Lasagna might be your favorite meal in the world, but after a week straight of eating it you'd start to feel a little sick. And few can survive on fiber bars and nutritional smoothies alone. Life is about sampling flavors, and human beings aren't the only animals who understand that a balanced breakfast means variety. Honey bees may pollinate the food that ends up on our table, but how often do we think about what we're feeding them?

The importance of pollen diversity in colony health has been the subject of discussion for decades now, with most feeling that higher diversity must be for the best, according to common sense. But the science is nowhere near so straightforward. Restricting bees' access to only particular types of pollen usually requires confining small groups of bees in the laboratory, and the disconnect between field studies of floral diversity and cage studies of bee survival is large enough that it can be hard to make the leap. Garance Di Pasquale is one of the researchers looking to build a bridge, although her studies remain primarily in the lab. In two consecutive papers, one published in 2013 and the other in 2016, she and her co-authors claimed that pollen diversity doesn't seem to be that big of a boost. Rather, it's quality and quantity that improve worker bees' survival and ability to feed their brood. But what is it about pollen that's so important in the first place?

While nectar is the primary source of nutrition for worker bees, pollen is what provides the hive with protein, lipids, vitamins, minerals, and sterols. Although some nectar has been found to contain low concentrations of amino acids, these are unlikely to contribute substantially to honey bee nutrition, meaning that pollen is the source of everything (besides sugar) that a col-



ony needs to grow (Wright et al., 2018). Of course, not all nutrients can always be found in any one type of pollen, and some pollens contain more of the essential amino acids that bees cannot produce in their own bodies or more valuable sterols, making them ostensibly *healthier* pollens. Di Pasquale's research supports this theory (2013 and 2016).

In her 2013 paper, Di Pasquale and her colleagues compare the survival rates and development of nurse bees fed with pollen from four distinct superspecies/ genuses of plants: Rubus, Cistus, Erica, and Castanea. Rubus pollen (blackberries, raspberries, etc.) had the highest quality by far, high in essential amino acids and with considerably more antioxidants. This increase in quality translated to in increase in survival rates in both healthy bees and those infected with Nosema, a common bee pathogen. It also led to more development of the nurse bees' hypopharyngeal glands, which they use to produce food such as royal jelly for larvae. When they mixed all four pollens together, the survival of the bees didn't improve. Healthy bees fed on this more diverse diet actually had shorter lives than those fed on just Rubus pollen, so it seems that pollen diversity doesn't matter as long as the pollen in question contains all the nutrients the honey bees need.

Further experiments in 2016 by Di Pasquale et al. confirmed that pollen quality is the key to a healthy honey bee diet. When fed with pollen mixes collected during different flowering seasons, honey bee survival once again correlated with availability of certain pollens and quality and not with diversity. The amount of oilseed rape pollen was found to be important for nurse development, and the late July pollen mix in particular, (although not the lowest in pollen diversity), had an overwhelmingly large proportion of maize pollen and was the worst for bee survival by far because maize pollen is low in essential amino acids. The experiment found that even pesticide content didn't have a noticeable effect on bee survival. The most important factor of all appeared to be simply the quantity of pollen available to the bees: "The more pollen the honey bees received, the longer they lived."

Of course, in an agricultural beekeeping setting, pollen quantity and pollen diversity are not completely disjointed things. A blueberry crop itself provides very small quantities of low quality pollen, while an almond crop provides lots of pollen, leading to an overall lower pollen diversity (Colwell et al., 2016; Topitzhofer et al., 2019). The pollen from an apple crop is collected in large quantities by honey bees and is high in nutritional value, while cranberry is not as plentiful despite being of a similar quality (Colwell et al., 2016). And wildflower (fallow) sites in one field experiment did not provide pollen



with high nutritional content, despite their higher pollen diversity (Colwell et al., 2016). So is it time to stop planting clover patches and bee gardens?

Pollen diversity on its own does not appear to affect the quality of bee nutrition or the likelihood of a healthy colony, but the availability of good food sources and the "bee friendliness" of the landscape does (Barroso-Arévalo et al., 2019). And although one type of pollen may be able to provide all the amino acids a hive needs, there are other important compounds that are a little more plant-species-specific. The fat content of royal jelly depends completely on the floral resources available to nurse bees, and all sterols the honey bees need must come from plants too (Wright et al., 2018). Phytochemicals such as caffeine and p-coumaric acid have been found to improve longevity and pathogen resistance in honey bees in certain concentrations, and these phytochemicals are unique to certain flowers (Bernklau et al., 2019). The importance of pollen diversity to the survival of honey bee colonies out in the field is still to be determined, and ensuring access to a variety of pollen resources in case some are difficult to harvest or deficient in particular nutrients is the key to a well-fed hive. If the resources are available, bees will actually bias their foraging sources to things the colony is depleted in nutritionally (Wright et al., 2018).

When a colony cannot adjust to a nutritional deficiency by themselves, there is always beekeeper intervention. Pollen patties and other protein supplements can help drag a hive out of starvation and make up for low pollen yield from their surroundings. However, on average, bees digest 75% of pollen they eat but only 25% of pollen substitutes such as soy protein (Wright et al., 2018), and it's not clear that these supplements can provide the range of additional nutrients that honey bees need. True substitutes for pollen do not exist (Wright et al., 2018). With this in mind, we can recognize the importance of providing more nourishing surroundings for both domesticated honey bees and the wild bees of the world, regardless of the direct effect of pollen diversity. By providing them with a feast to choose from, we ensure they can adjust their diets as they need to and continue to provide us with the variety of crops that add spice to our lives.

Reprinted with permission from Science Review.

Barroso-Arévalo, S., Vicente-Rubiano, M., Ruiz, J.A., Bentabol, A., and Sánchez-Vizcaíno, J.M., 2019. *Does pollen diversity influence honey bee colony health?* Spanish Journal of Agricultural Research 17(3): e0504.

Bernklau, E., Bjostad, L., Hogeboom, A., Carlisle, A., and Arathi, H.S., 2019. *Dietary Phytochemicals, Honey Bee Longevity and Pathogen Tolerance*. Insects 10(1): 14.

Colwell, M.J., Williams, G.R., Evans, R.C., and Shutler, D., 2017. Honey bee-collected pollen in agro-ecosystems reveals diet diversity, diet quality, and pesticide exposure. Ecology and Evolution 7: 7243–7253.

Di Pasquale, G., Salignon, M., Le Conte, Y., Belzunces, L.P., Decourtye, A., Kretzschmar, A., Suchail, S., Brunet, J-L., and Alaux, C., 2013. *Influence of Pollen Nutrition on Honey Bee Health: Do Pollen Quality and Diversity Matter?* PLoS ONE 8(8): e72016.

Di Pasquale, G., Alaux, C., Le Conte, Y., Odoux, J-F., Pioz, M., Vaissière, B.E., Belzunces, L.P., and Decourtye, A., 2016. *Variations in the Availability of Pollen Resources Affect Honey Bee Health.* PLoS ONE 11(9): e0162818.

Topitzhofer, E., Lucas, H., Chakrabarti, P., Breece, C., Bryant, V., and Sagili, R.R., 2019. Assessment of Pollen Diversity Available to Honey Bees (Hymenoptera: Apidae) in Major Cropping Systems During Pollination in the Western United States. Journal of Economic Entomology 112(5): 2040–2048.

Wright, G.A., Nicolson, S.W., and Shafir, S., 2018. Nutritional Physiology and Ecology of Honey Bees. Annual Review of Entomology 63: 327-344.



AVSPAGAVA



#1 BROOD CHAMBER SPECIAL Includes: Two Hive Bodies, 20 frames with Plasticall, Pine Bottom and Cover*. All Commercial Grade. And Free Shipping!

\$170.00 Assembled (WWHOBBY2A)

\$115,00 Unassembled (WWHOBBY2)

Includes: Two 65/8 Supers, 20 frames with Plasticell, Plastic Queen Excluder. All Commercial Grade. And Iree Shipping! (Assembled ONLY)

\$105.00 Assembled (WWHOBBY3A)

\$80.00 Unassembled (WWHOBBY3)

#3 ULTIMATE HOBBY KIT (pictured) Includes: #1 and #2 above with a Wood-Bound Queen Excluder Instead of plastic, Veil-Suit/Hat Combo, Lightweight Leather Gloves, Hive Tool, Smoker with Shield and fuel, and First Lessons in Beekeeping Book. All Commercial Grade with Free Shipping!

\$490.00 Assembled (WWHOBBY4A)

\$375 Unassembled (WWHOBBY4)

#4 NEW! SWARM BOX KIT Includes: Assembled and Painted Swarm Box with frames, cover and bottom. All Commercial Grade - Assembled \$49.95 (WWSWARM)

WESTERN BEE SUPPLIES



We have assembled frames and baxes! Ask about Free Skipping!

PO Box 190, Polson, Montana 59860 1-833-533-1014 www.westernbee.com Prices good through &/10/2020



Polypropylene Hive Bodies

 $6\frac{5}{8}$ " w/o Insulation Panels



5-99 100+ 1-4 9 5 with Insulation Panels \$21.50 \$20.00 \$19.00 9 ½" w/o Insulation Panels \$15,25 \$14.25 \$16.75

Hi-Flo Spouts (38mm)

Many Colors available. Prices start at \$65 per 1000





NEW Cap n Ladders

- Easier Assembly!
- Easier to fill!
- Fasier to clean

9 音" or 6音" 95"-2 Frame \$1.55 \$ 1.65 10-450 \$1.40 \$ 1.50 500+ \$Call! \$Call!



\$14.50

\$13.50

\$13.00

In-Hive Feeders

9 \(\frac{5}{8}'' \) or 6 \(\frac{5}{8}'' \) \$2.60/ea 10-450 \$2.40/ea

500+ \$ Call!



2 Frame Feeders

For 9₹" \$3.10/ea 10-245 \$2.90/ea 280+ \$ Call!



Cap n Ladders

9 靠" or 6靠" 1—9 \$1.55/ea 10-450 \$1.40/ea 500+ \$ Call!



Order online at:

Mother Lode Products

15031 Camage Ave. Sonora, CA 95370 Ph: (800) 657-9876

www.motherlodeproducts.com





STILL FAMILY OWNED AND OPERATED SINCE 1976
MANUFACTURER OF QUALITY WOODENWARE

SOME NEW ITEMS





VISIT US AT OUR NEW WEBSITE AND ENJOY FREE SHIPPING ON MOST ORDERS OVER \$150!

496 YELLOW BANKS RD
N. WILKESBORO, NC 28659
OPEN 8AM-4:30PM, MONDAY THRU FRIDAY
OPEN SATURDAYS 8AM — 12PM, MARCH, APRIL, MAY

WWW.MILLERBEESUPPLY.COM

Colonies Similaria

Queen Right Colonies®



Beekeeping Supplies, Package Bees, Queens, & More

Queen Bees







Mated queens taken off of brood before banking and sent to our customers. Marking and clipping services available.

As with our package bees, all of our queen bees come from Northern California: Olivarez Honey Bees, Koehnen, and Strachan, the best suppliers in the business.

We offer New World Carniolan, Three-banded Italian, Cordovan and Saskatraz queen bees starting at \$35.

Stop in, call or order online today!



43655 State Route 162 • Spencer, OH 44275 • info@queenrightcolonies.com

queenrightcolonies.com | 440-647-2602





A SILVER BULLET

M.E.A. McNeil

OR A BRILLIANT DEAD END

"Brilliant. Just brilliant." Oregon State University microbiologist Maude David was speaking about a honey bee gut bacterium engineered to defend against varroa and a virus. It was the cover story (January 31) in Science, the oldest and largest peerreviewed American academic journal, not prone to hyperbole. The editors had to have thought there is evidence for a real breakthrough. Here, their title is repeated more from hope.

We beekeepers are inured to reports of the latest cure for the pests and pathogens that ail our bees. Mostly, those silver bullets have turned out to be lead. We heard the claims and bought into a lot of them, but the remedies we have are either ineffective, short-term, expensive, cause for escalating resistance, damaging – or all of that. Even our wax is saturated with chemicals. So, sure, we're ready to pay attention to a solution with the potential for being effective, cheap and easy to apply.

Nancy Moran, a professor and researcher at the University of Texas at Austin is a foremost expert



Nancy Moran is the preeminent authority on the honey bee gut biome, a professor at the University of Texas at Austin. She is lead researcher for a project that genetically modified symbiotic bee gut bacteria to release specific RNAi to trigger an immune response in the host.

Photo courtesy Moran Lab

on the microbiome of insects, an elected member of the National Academy of Science and a MacArthur Fellow. Moran pioneered the field, documenting the evolution of relationships between bacteria and white flies, spittlebugs, cicadas, leafhoppers, and psyllids. She has done extensive research on honey bees and logged, for the first time, the core bacteria of the bee gut. Following a quarter century of related papers, she has published a study concluding that the agrichemical glyphosate perturbs the gut microbiota of honey bees

Colleagues have been curious to see what Moran learns next from the insect biome. "She's not just a one-hit wonder," said German researcher Ute Hentschel. "She has an amazing capacity to focus things so that [new insights] precipitate out."

Moran was looking for a microbiological key to activate honey bee immunity and limit pathogens. She and her lab team, headed by Sean Leonard, have come up with a **genetically modified** honey bee gut bacterium tailored to induce host RNAi-based defense.

What does that mean? They have induced bees' natural biological factories to create protection against *Varroa* mites and deformed wing virus.

How does that work? To begin with, DNA is a structure that encodes biological information in all living organisms - the recipe book to create an animal, plant, bacteria or virus. RNA is mostly a messenger carrying instructions from DNA for building proteins. Like humans, honey bees have an antiviral defense mechanism called RNA interference (RNAi) that plays a natural role in regulating that process: Small pieces of RNA bind to the messenger RNAs and interfere - possibly an ancient antiviral mechanism that effectively leaves the message lost in translation.

RNAi helps fight off certain viruses, called RNA viruses. After an

RNA virus is introduced, it creates molecules called double-stranded RNA (dsRNA) that a healthy cell detects as foreign. "You usually only get signs of these molecules when an RNA virus is replicating," Moran said. "It's a signal that this might be an evil thing and you should attack it." The triggered RNAi immune response causes the degradation of any like-sequenced RNA that's present.

This antiviral immune process can be used to set RNAi to work by feeding or injecting dsRNA. But so far, as a tool, that's been elusive. When administered to bees, dsRNA has been seen to suppress varroa and Nosema, but it is expensive, unstable, and difficult to work with, although it had no negative effect on bee survival.

Here's what the Moran lab has done: Leonard and the team engineered one of the core honey bee symbiotic gut bacterium, Snodgrassella alvi, to induce RNAi immune responses. To address each problem, the team engineered one strain of bacteria to target the virus and another for the mites. The



The cover of the January 31, 2020 Science Magazine, the world's oldest and largest magazine with peer-reviewed papers, announcing what it calls "A microbiome silver bullet for honey bees" – RNAi research



Bees in the Moran lab during testing for the RNAi project. Photo courtesy Moran Lab.

engineered *S. alvi* was sprayed on the bees in a sugar syrup for them to groom off. The bacteria they ingested stably recolonized in the bees and produced double-stranded RNA to activate RNAi.

Results: *Varroa* mites feeding on bees treated with the mite-targeting strain of bacteria were about 70% more likely to die by day 10 than mites feeding on control bees. Bees treated with the strain of bacteria targeting the virus were 36.5% more likely to survive to day 10. The engineered *S. alvi* killed varroa mites by triggering the mite RNAi response. The bees



Rooftop hives at the University of Texas Austin used for the Moran Lab study of RNAi. Photo courtesy Moran Lab.

with the GM (**Genetically Modified**) bacteria also successfully challenged Deformed Wing Virus. Leonard's paper also reports that 11 days after colonization, the engineered *S. alvi* was found along the bee gut wall with the same localization as the wild type strain. So the GM gut bacteria persistently produce dsRNA and the bee host responds by activating immune pathway genes.

"It lasted!" said David, the OSU microbiologist, who, as an outside observer, found that remarkable, noting that the engineered *S. alvi* cells remained functional for well over a

week. The reason that is unusual, according to Leonard, is that dsRNA previously administered to individual bees resulted in patchy and transient gene knockdown, and it degrades rapidly in the environment.

It appears that bee-symbiontmediated RNAi has the potential for protecting honey bees from pests and pathogens in a targeted manner.

Where are we now? However promising, this work was done with bees housed in a lab. So the next step is to do a field study, which is in the planning stages. But the question with any genetically modified organism is whether it will spread into the environment. It was observed that engineered S. alvi strains were transferred between cohoused bees. What about spreading a FrankenSnodgrassella further? Although the experiments were carried out under the strict biocontainment protocols used with genetic engineering, Moran said that even without those cautions, the risk of the engineered bacteria escaping into the wild and infecting other insects is not a risk. "It lives only in bees," she said. Such symbionts have evolved over millennia, trading off genes to function in narrow, mutualistic relationships so specialized that they can't survive outside of the bee gut. The bacterium "doesn't go outside of bees and doesn't recombine. I'm confident that it won't move into another host."

Moran said, "Most biologists and environmental scientists are not afraid of **GMO** genes. The main thing that people underestimate is the damage done by agrochemicals. People accept the chemicals but not **GM**." Still, the paper says, further research will be needed to determine the effectiveness and safety of the treatments in agricultural settings.

The use of RNAi against honey bee pests and pathogens has been explored before. Beeologics was a firm that was working toward developing RNAi to protect honey bees from Israeli Acute Paralysis Virus. Leonard Foster, a University of British Columbia biochemistry professor who worked on the project, said that the company had developed a process to scale up and reduce the cost of synthesizing double stranded RNA, which they considered to be the commercial product in RNAi technology. After Montsanto acquired



New bee suits, new research: Working with hives for the Moran Lab study of RNAi at the University of Texas, Austin. Photo courtesy Moran Lab.




Your future self is watching you right now through memories.











Sean Leonard is the lead researcher in the Moran Lab for the RNAi project, which took several years to develop. Photo courtesy Sean Leonard


Beeologics, Jerry Hayes, editor of this magazine, spent eight years there in pursuit of a game-changing chemical-free product. "I left because we couldn't deliver it in a field setting consistently. Montsanto spent about \$14 million, and we couldn't get it done." There is no indication that the project will be pursued, now that the company has been bought by Bayer.

The Moran lab may have come up with a microbiological key – mediating RNAi with a bee gut symbiont. Their goal is to improve honey bee resilience, but at the very least they have provided a new tool to study bee biology, enabling new insight into the bee genome that could inform breeding choices.

The researchers believe their method could one day scale up for agricultural use because the engineered bacteria are easy to grow, inoculating the bees is practical for the beekeeper, and the engineered bacteria are unlikely to spread beyond bees.

M.E.A. is a journalist, Master Beekeeper and organic farmer. She can be reached at Mea@MeaMcNeil.com.















510 Patterson Rd Baxley, GA 31513

912-367-9352

ITALIAN QUEENS		*#3 Packages	
100+	\$24.00	100+	\$87.00
25 -99	\$25.00	25-99	\$91.00
10 - 24	\$27.00	10-24	\$94.00
1 - 9	\$29.00	1-9	\$97.00

*Prices above do not include shipping charges

Pick-up Packages

#3 \$87.00

 Pick-up Queens
 \$24.00
 Cells
 \$4.00

 Clipping
 \$4.00
 Marking
 \$4.00

Please call or write for shipping details or truck prices. Terms: 10% down. Balance due two weeks prior to shipping.

May God Bless Your Endeavors This Year

Over 100 Years of Experience • All Bees Are State Inspected

"The honey bee queen during reproduction transmits to the progeny her own characteristics as well as those of the drones which mated with her and thereby determines the good and bad characters of her colony. Under such conditions, it is easy to understand that the entire bee colony is adversely affected when the queen is affected with hereditary or structural defects, or becomes ill and ceases egg laying (Fyg 1964)."

Two major studies have investigated anomalies and diseases associated with honey bee queens (Fyg 1964; Porporato et al. 2015). "Fyg (1964) upon examining and dissecting some 5,000 normal and abnormal queens became familiar with many anomalies and diseases which impacted her reproductive potential. They were concerned with malformations, infections, disturbances of mating and metabolism, as well as hereditary disturbances of development and anomalies which occur either within the queen herself or in her progeny."

"While observing: non-acceptance, frequent replacements, and reduced performance in honey bee queens, Porporato et al. (2015) proceeded to analyze a certain number of queens to detect the causes. For this purpose, 99 newly mated queens were bought from 20 Italian queen breeders. In addition, 109 older or at-the-end-of-their-career queens, that showed poor productivity, were collected from honey production hives throughout Italy. All the queens were dissected to check the status of their reproductive system and/or the presence of various anomalies and diseases. Anatomical and functional anomalies, pertaining to ovaries and spermatheca, also in association with tissue alterations and microorganisms like Nosema spp. and protozoa, were common in both newly mated and older queens, but they were more prevalent in the latter. Observed differences permitted them to highlight the causes of the reduced performance of the queens."

"Porporato et al. (2015) found that the sum of queen defects was greater than the number of defective queens because many queens showed more than one anomaly. Up to six defects per queen were observed in old queens, who altogether showed many more anomalies than newly mated queens. Most of the newly mated queens had no defects and only 20.5% of the defective, newly mated queens showed two defects."







HONEY BEE QUEENS

Clarence Collison

They Aren't Perfect

"Dwarf Queens – One of the principal external anomalies of the queen bee may be seen in the so called "dwarf queens" that are occasionally reared by the bees when insufficient pollen and nectar are available, and which seldom ever attain the size of the worker bee. One should not confuse them with egg-laying workers, because dwarf queens possess small but otherwise normally developed sex organs. Usually, however, they remain unmated and sterile. The dwarfism should not be attributed to a hereditary factor in such cases but, to insufficient nutrition during the larval stage (Fyg 1964)."

Ovarian Anomalies – "The queen may have a variety of internal anomalies and malformations. First there is developmental failure or hypoplasia (underdeveloped or incomplete development of a tissue or organ) of the ovaries (Fyg 1964). This condition was found in two queens that appeared normal externally but were sterile breeding queens. The gonads were quite rudimentary but all other parts of the reproductive organs were well developed. The few ovarioles in the rudimentary ovaries contained only degenerated germ cells."

In 22 queens, protozoa were observed in the spermatheca.

"Another frequent queen disease, which also causes a permanent sterility, is the atrophy of the ovaries. It attacks young as well as older, prolific queens and is characterized by a rapid disintegrating of the contents of the ovarioles. The degeneration products of the germ cells, egg cells, and nutritive cells are absorbed somehow, so that the ovarioles shrivel completely (Fyg 1964)."

"Porporato et al. (2015) also frequently found ovarian atrophy in queens. It was observed in young as well as in older queens. Ovarian atrophy was characterized by a rapid disintegration of the contents of the ovarioles, with relative withering and volume reduction. A yellow coloration was frequently found in the terminal parts of the ovaries and corresponded with the presence of dead tissues."

"Melanosis, another very important pathological effect on the queen's ovaries, was observed in 42 of the 109 older queens, but in not one of the newly mated queens (Porporato et al. 2015).

Melanosis is characterized by discoloration of the egg cells and trophocytes which turn from yellow-brown to black." "Fyg (1964) while examining sterile queens found two similar infectious diseases which affect mainly the reproductive apparatus. H-melanosis is caused by a yeast-like microorganism. The causative organism, probably enters from outside via the sting chamber, through the vaginal orifice into the reproductive organs and produces in the oviducts and ovaries, typical lumpy foci of infection of brownish-black or black coloration. The affected queens cease egg-laying within few days and become sterile. Healthy queens can be infected by vaginal inoculations in the laboratory. After six to eight days their reproductive organs show aspects of the disease, which do not differ from those exhibited by the naturally diseased queen. The other, equally frequent type of parasitic melanosis which affects the reproductive organs of young queens exclusively, is caused by a bacterium and is therefore called B-melanosis. The foci of infection caused by the pathogen in the ovaries are also black but they are distinguishable from the knobby necrosis occurring in H-melanosis."

Imperfectly developed oviducts - "Frequently imperfectly developed oviducts are found. The genital ducts of the queen are formed during postembryonic development from paired imaginal discs on the ventral side of the tenth segment and initially are not connected with the ovaries. During the prepupal and pupal stages, the lateral oviducts extend into the body cavity towards the gonads as hollow ectodermal invaginations and connect with the ovaries generally at the third day of the pupal period. Occasionally, the oviducts may stop growing before they have reached the ovaries, in which case there will be no connection between the normally developed ovaries, which are closed at the posterior ends, and the vagina. Oviposition is impossible under such conditions. Occasionally, only one of the oviducts is malformed. Such queens are able to lay eggs to a limited extent. As far as Fyg (1964) could observe, these defects of the oviducts did not exclude successful mating."

Accessory ovarioles – "Another interesting anomaly is that of accessory ovarioles, which are not infrequently found in the queen in various places in the abdomen. Involved are ovarioles which develop independently of the ovaries at abnormal positions. Probably they are derived from misplaced germ cells which, in a very early stage of embryonic development, have not immigrated into the gonads. Most frequently, the accessory ovarioles lie more or less coiled together beside the cardiac tube (heart, aorta) in the pericardial sinus (Fyg 1964)."

Multiple spermathecae – "Normally, the queen possesses only one spermatheca for the storage of the spermatozoa. A rare exception, is finding a queen with two spermathecae. In the case examined by Fyg (1964), the two spermathecae, which contained many sperm, laid closely together and led separately into the vagina. Since the spermatheca is formed in the prepupal stage from two separated anlagen (initial clustering of embryonic cells from which an organ develops), one must assume that they did not unite during this stage, but continued to develop independently."

"Queens with two spermathecae appeared twice out of 208 queens (Porporato et al. 2015). In these cases, the two spermathecae were always in a single tracheal wrapping. It was possible to observe spermathecae only after the removal of the tracheae; the average number of sperm was 2,005 and 208. Other interesting anomalies of the spermatheca were: the absence of the spermatheca, the small size of the spermatheca compared to average dimensions, and an abnormal spermathecal shape. The average number of sperm inside these irregularly shaped spermathecae was 9, 560, and 417. The spermatheca is characterized as having an external pearl color, but they found different kinds of colors with relative differences. In all of their findings, white spermathecae never had sperm inside. Queens with white spermathecae were always replaced; they were not accepted, and they failed to lay eggs. Transparent spermathecae were found in a number of queens. The transparent spermathecae were without sperm. In one case, a black spermatheca was found. This queen was characterized by nonacceptance and she failed to lay eggs, yet she presented a high number of vital sperm inside the spermatheca."

"In 22 queens, protozoa were observed in the spermatheca. Two different kinds of protozoa were identified: ciliate and flagellate protozoa. The ciliate protozoa are representatives of the order Hymenostomatida, genus *Tetrahymena*, probably *T. rostrata*. The flagellate protozoa could not be identified (Porporato et al. 2015)."

Mating disturbances – "In natural mating of the queen, the semen from the copulating drone does not immediately reach the spermatheca from the female genital ducts. The vagina and the oviduct are more or less enlarged by the introduced mass of the semen. The quantity of semen taken in is usually so great that only a small part of it may enter the spermatheca. When the spermatheca is filled, the excess is usually expelled. It sometimes happens that a mass of semen remains

An occasional queen will stiffen up and fall over on her side as if she had been stung.

in the genital duct and becomes a viscous plug which permanently impedes oviposition. Sometimes the "mating sign" remains fixed in the genital opening and protrudes from the sting chamber. In such queens, normal, motile spermatozoa are found in the spermatheca, whereas those in the vagina and oviducts are dead or very often peculiarly curled (Fyg 1964)."

Drone-laying - "The most common disturbance of the normal reproductive function of the queen is drone laying, i.e., her inability to produce female progeny. Colonies are often seriously weakened due to this and their existence threatened by the lack of young worker bees. The dronelaying may be attributable to many causes. She is able to only produce drones because she is unable to fertilize the eggs. This results from the lack of successful mating trips or as she ages, she runs out of semen stored in the spermatheca. The most frequent cause of drone-laying is a very severe disease of the queen which does not depend on mating and is described as morbid dronelaying. It manifests itself quite suddenly in properly mated queens, in the first or second year of life and long before the reserves of semen are depleted, become drone layers and lay unfertilized eggs into the comb cells reserved for the worker brood. Usually the afflicted queens cease egg-laying after some time. A peculiar anomaly of the spermatozoa has been described, and is often observed in affected queens. Beside normal, motile spermatozoa, the spermatheca contains distinctively degenerated spermatozoa which are curled into ringlets (Fyg 1964; Porporato et al. 2015). Each ring consists of only one spermatozoa. Fyg (1964) has shown that morbid dronelaying is a disease of the queen which is characterized by the appearance of specific intranuclear inclusions in all ectodermal organs and tissues. The degeneration of the spermatozoa in the spermatheca is not the primary cause, but rather a secondary phenomenon associated with the disease. The queens often become drone layers before the spermatozoa have visibly degenerated. This disease also occurs in unmated queens that have never come in contact with drones which prove that the disease is not transferred from the drones and does not depend on mating."

"Another interesting anomaly were the pathological stone formations or enteroliths found in the rectum of the queens. These enteroliths were reminiscent, in many cases, of gall-stones, renal and urinary calculi of human and domestic animals. The enteroliths appeared in the rectum as single or several hard, spherical or polymorphus concretions (ovid or spherical in shape, hard compact mass), which often formed agglomerations (clump of material) (Porporato et al. 2015). Four of the examined queens had enteroliths. The average diameter of the enteroliths was 409.6 μ m. The color was quite variable: from brick red to grey-brown or brownish-black. The majority of enteroliths showed a distinct concentric stratification and an outward radiating structure."

Queen Fainting – "Queens rarely faint, but they have been observed to do so by beekeepers who have handled large numbers of queens. An occasional queen will stiffen up and fall over on her side as if she had been stung. She remains motionless for several minutes. This condition has been called catalepsy (Brunnich 1922), epilepsis (Laidlaw and Eckert 1962), fainting (Miles 1922), or shock (Latham 1922). When it happens it occurs just after a

Another frequent queen disease, which also causes a permanent sterility, is the atrophy of the ovaries.

queen is picked off the comb by her wings. According to Latham (1922) the queen hooks her abdomen by the sternite with a hind leg, pulls the tip of the abdomen forward, then stiffens momentarily, next becomes motionless for a few minutes, and then gradually revives and returns to normal activity. Not every queen who hooks her abdomen is so affected, but Latham believed it most likely in large queens with enlarged abdomens that are laying heavily. In Mile's (1922) experience, catalepsy happened to only young queens; moreover, most of the cases described by Brunnich (1922) were also young queens. In some cases, the queen does not revive, but dies (Miles 1922). Catalepsy is apparently due to a temporary nervous disorder (Reviewed by Tucker 1978)."

References

Brunnich, K. 1922. Catalepsy in queens. Am. Bee J. 62: 69-70. Fyg, W. 1964. Anomalies and diseases of the queen honey bee. Annu. Rev. Entomol. 9: 207-224.

Laidlaw, H.H. Jr. and J.E. Eckert 1962. Queen Rearing. 2nd ed. Univ. Calif. Press, Berkeley.

Latham, A. 1922. Some more about catalepsy in queens. Am. Bee J. 62: 163.

Miles, E.S. 1922. Catalepsy in queens; death from fright. Am. Bee J. 62: 162-163.

Porporato, M., G. Grillone, A. Patetta, A. Manino and D. Laurino 2015. Survey of the health status of some honey bee queens in Italy. J. Apic. Sci. 59: 27-36.

Tucker, K.W. 1978. Abnormalities and Noninfectious Diseases, Chapter 16. In: Honey Bee Pests, Predators And Diseases (Ed. Roger A. Morse), Cornell University Press, Ithaca, NY, pp. 257-274.

Clarence Collison is an Emeritus Professor of Entomology and Department Head Emeritus of Entomology and Plant Pathology at Mississippi State University, Mississippi State, MS.

Mountain Grey Caucasian

Republic of Georgia

Queens 3# Packages

\$60.00 \$145.00



Clip and/or Mark \$5.00 Ea
Prices do not include shipping, handling, or insurance
Shipping season starts first week of May

Winters Apiaries
3225 Long Creek Rd.
Parrottsville TN 37843

Parrottsville, TN 37843 (423) 465-8197

http://www.caucasianbreeder.com







Hardeman Apiaries

Italian Oueens

10-24 1-9 25 +\$21.00 \$19.50 \$19.25

Russian Hybrid

1-9 10-24 25+\$21.75 \$23.50 \$21.50

P.O. Box 214, Mount Vernon, GA 30445

912.583.2710



Olivarez Honey Bees/Big Island Queens is seeking motivated beekeepers to join our Hawaii team! Experience preferred. Self-motivator and ability to work in

a team environment a plus. Positions are full time, salary based on experience. Great Benefits Package. Prior work history and references required. Advancement opportunities available. Submit resume to info@ohbees.com or Olivarez Honey Bees Inc/Big Island Queens, P O Box 847 Orland Ca 95963, Fax: 530-865-5570, Phone 530-865-0298





Farmer Keith

Don't Villanize . . . Collaborate

Becky Masterson

Farmer Keith preparing the soil for planting at a Bee Squad pollinator habitat project. Photo, Judy Griesedieck

I remember the Spring day in 2013 when Keith Johnson motorcycled into our honey house parking lot and introduced himself as a conventional corn and soybean farmer and new beekeeper who had just established an eight-colony apiary. I was surprised at his ambitious start to beekeeping but quickly learned that his new apiary size met the requirements for a pollinator habitat program he had just established. Keith's passion for bee-friendly flowers and including honey bee management into his already successful framework of livestock management changed my approach to teaching beekeeping. After a few classes with the Bee Squad, Farmer Keith transitioned from student to mentor and our bees benefited from this relationship.

That Summer in our ongoing "Mentoring Apiary" classes Keith and I observed a major barrier to beekeepers



managing populations of the parasitic mite, Varroa destructor. Throughout the season, we encouraged students to monitor Varroa using the powdered sugar roll technique researched by the University of Nebraska (Ellis and Macedo, 2001). At season end when we asked students if they had assembled their own jars with screened lids, measuring cups, and powdered sugar, they had not. Farmer Keith quickly recognized the need for a reusable test kit to be sourced and marketed, making it easy for beekeepers to monitor varroa populations. Months after Farmer Keith signed up for beekeeping classes, he showed up in my office having sourced and priced the necessary components for the Bee Squad Varroa Mite Testing Kit (now the MiteCheck Kit the starting point for www.mitecheck.com). Six years later, the Bee Squad has sold over 4000 kits to beekeepers and beekeeping supply stores.

I wonder if readers are stuck on the introduction of Keith as a sovbean and corn farmer? When Keith told me that he was a farmer, it was at a time when many were debating the use of neonicotinoid insecticides. Keith was eager to discuss pesticide use decisions and why farmers planted specific crops, like soybeans and corn. He explained the business of farming and how it was the public and governmental policies that directed which seeds farmers sowed each spring. Keith's suggestion was for everyone to curl up with a cup of tea and the Farm Bill to learn how it impacted people and pollinators. It was simple to Keith: If people were concerned about the amount of corn and soybeans planted, they needed to direct change with their dollars and input to elected officials.



How do you install pollinator habitat? Farmer Keith shows up ready to plant a lot of flowers. Photo Judy Griesedieck.



Farmer Keith talking about pollinator habitat installation at the Plant Seeds Field Day. Photo Judy Griesedieck

Instead of villainizing farmers, Keith called for collaboration. The Bee Squad has connected with other conventional farmers who were grateful for opportunities to support pollinators. These relationships can result in more bee friendly flowers. Farmer Keith strategically places pollinator habitat throughout his farming operation and makes decisions that support soil, water, pollinators, and the environment. His diversified farm business includes installations of solar panels with surrounding pollinator habitat

plantings, successful government habitat programs and the exploration of organic and conventional farming methods.

A common thread when talking to groups about bees is where we should put the blame for issues that impact bee health. From urban and suburban areas, audiences express concerns about agriculture, specifically corn and soybean farming. In rural areas, there are concerns about amateur growers (homeowners) who purchase and apply chemicals to beautify their lawns, save their trees

hold similar beliefs? Keith's way encourages us to know the perceived enemy, understand their motivations and find common ground. Farmer Keith played a critical role in designing one of Bee Squad's most successful field days that was defined by its diverse audience and focused on finding connections. Our Plant Seeds Field Day was funded by a North Central Region SARE Grant. We brought together backyard and commercial beekeepers, farmers, scientists, extension professionals and the bee-supporting public for a day of education. Sixty attendees learned about bee health challenges, integrated pest management, Varroa management (beekeepers received a free MiteCheck Kit), and pollinator habitat installation from Farmer Keith, governmental programs, and the Bee and Butterfly Habitat program (bee and butterfly fund. org). Presenters were faced with the difficult but productive task of gearing their presentations to a diverse audience. Who received and installed the free flower seed? Those with an acre or more of land available for new pollinator habitat received free seed from the Bee and Butterfly Habitat Fund. Backyard and commercial beekeepers, farmers

It is a brave and novel way to effect

change. Are we wasting our time

expressing concerns to those who

and protect flowers from powdery mildew. I hear about ineffective backyard beekeepers and their pest management practices from those with larger operations. Conversely, small scale beekeepers often report their concerns about commercial beekeepers and their practices. I hear from homeowners, who have decided to fire their lawn service and let the dandelions, creeping-charlie and clover bloom in their yards, that the manicured lawns of their neighbors are harming bees. Everyone who cares about bees seems to have their list of what practices need to be changed by others in order to create solutions. I admit to having a list too. Farmer Keith's playbook doesn't focus on lists, but forges ahead to making connections among groups with different needs and practices.

Attendees noted that the highlight of the Plant Seeds Field Day was making connections to people.

and the bee supporting public all

installed new bee habitat.



Farmer Keith leading a group through his newly installed pollinator habitat at one of his solar farms. Photo Judy Griesedieck

Meeting with people with different ways of earning a living and with diverse practices and beliefs about bee health was energizing for our field day attendees. Providing a space for groups to learn about one another's challenges and successes made for a day where the attendees still ask about when the next field day will happen. While we would love the opportunity to bring together another sixty people from diverse perspectives to explore bee health opportunities, we encourage beekeeping clubs to hold these field days. Inviting a diverse community of beekeepers, farmers, scientists, outreach experts and the public to an educational day about bee health and habitat might help your bees and their many supporters. Remember to include opportunities for the groups to make connections with each other.

Farmer Keith says, "If you plant it, they will come." While he was referring to feeding bees, his vision has always been greater. When Keith plants flowers, he is trying to support all flower visiting pollinators, and while there, he is trying to improve soil and clean water. He is asking everyone to include farmers in conversations and opportunities to improve bee health through better nutrition. Planting seeds for Farmer Keith has been about creating a network that supports bees and conversations. I am grateful that I listened to a new beekeeper who eagerly showed up to our beekeeping classes. Based on who learned and benefited the most, we might just have to issue Keith a refund for those sessions. BC



Becky Masterson

Acknowledgements

The author would like to thank both Dr. Marla Spivak and Bridget Mendel for their helpful edits and suggestions.

Reference

Ellis, Marion D. and Macedo, Paul A., "G01-1430 Using the Sugar Roll Technique to Detect Varroa Mites in Honey Bee Colonies" (2001). Historical Materials from University of Nebraska-Lincoln Extension. 1173. https://digitalcommons.unl.edu/extensionhist/1173

Becky Masterman earned a Ph.D. in Entomology at the Univ of MN under the direction of Dr. Marla Spivak studying honey bee hygienic behavior and neurobiology. She led the UMN Bee Squad from 2013-2019 and currently alternates between acting as an advisor and worker bee for the program.













Tina **Sebestyen**

It is May, the month that portends how the beekeeping season will go. Here in Southwestern Colorado, we will have dandelion blooming, the apple and pear trees bloom, and it still freezes and snows occasionally. As soon as willow and maple pollen start coming into the hive in abundance in March, the bees really ramp up their brood production. There isn't much nectar coming in during most of April, and it comes in fits and starts in May. For colonies that were just installed in April or May, feeding sugar water is very important, as it may also be for colonies that have gotten ahead of themselves raising brood without enough stored honey.

It may be tempting not to feed sugar water, since we see spring blooms everywhere, and think there is plenty of food for the bees. Feeding allows the bees to rapidly build the comb they need for brood and for honey. It sets the stage for the entire rest of the year. Without supplemental feed, new colonies will struggle to take advantage of honey flows. One of the first real quandaries a new beekeeper encounters is when to stop feeding. Every beginning beekeeping book has a different answer. Here is the one that makes sense to me... feed until the bees have at least some capped honey. They only cap honey when they feel like they have an abundance of it. This answer comes from our understanding of bee behavior, and making decisions in this way rather than following someone else's calendar is a better way to go.

The first of May is a great time to ensure that the new

package of bees starts off without a heavy mite load. An oxalic acid dribble on a new, broodless colony gets them off to the right start. Oxalic acid does not penetrate brood cappings, so this only works without capped brood. Once the package has been installed, and the queen released from her cage after three days, she begins laving eggs soon after. Those first eggs will be capped on day nine. This gives us time to leave the colony undisturbed while they get comb started, and once the queen begins laying eggs, the colony will not abscond. Then we apply an OA dribble on the eighth day after the queen is released. The oxalic acid dribble is delivered with a syringe for accurate dosing, five ml per seam of bees. First check to make sure there is a live, viable queen by looking for eggs. Do not spend a lot of time disturbing a new colony while looking for the queen. Once her presence is assured by the sighting of eggs, put the frames back with shoulders touching. Run the OA down the seams of bees. In a top bar hive, move the bars apart just enough to allow the tip of the syringe to fit between them and deliver the 5 ml each. There will be enough bees to catch the liquid and distribute it amongst them all.

Whether a new or an established colony, it is critical at this time of year that we guard against the colony becoming honey bound. The queen will be laying as many eggs as the bees can cover and keep warm. Soon, it will be warm enough and there will be enough bees for a sizeable foraging contingent to begin bringing in more

honey than is immediately needed by the colony. When this occurs, a full sheet of honey comb will be drawn and filled right behind the brood combs, limiting the queen to the few combs in front of the honey. This is called being honey bound. When all of the brood cells are filled with developing larvae, and there is no room for the queen to lay more eggs, the colony begins to think about swarming.

In established colonies, it might be necessary to remove some honey if it is clogging the brood nest. It is important not to remove all of the honey from a colony. A good rule of thumb is to leave 10 pounds of honey (two frames or bars). This is a nice advantage of horizontal beekeeping. We can simply move honey frames or bars toward the back, inserting drawn comb or empty bars behind the brood, and in front of the honey. The bees will continue to grow the brood nest and be better able to take advantage of nectar flows.

Swarm management is one of the most challenging, and one of the most important parts of being a beekeeper. One of the biggest mistakes I made as a new beekeeper (and for about the first six years) was in trying to manage to bees to avoid the necessity of splitting. I thought I was just trying to keep them from swarming through management, but splitting would have been a much easier and more sure way of accomplishing this goal. The next mistake beekeepers make is to try to wait until the last minute before the colony swarms to split it.

Let's take a minute here and think like the superorganism that is a honey bee colony. In spring, like most other creatures, their main goal is to reproduce. Look around at the bunnies, kittens, and calves. Honey bees would like to send more colonies into the world, and they do this by swarming. That is why it is almost impossible to stop the swarming instinct. Rather than waiting to split until it is so late in the season, we might better serve our bees by splitting them early enough that they have plenty of time to raise a new queen and recover population numbers for the main nectar flow. Splitting the colony has the added and very important benefit if providing a brood break to the part(s) that raise a new queen. Rather than waiting to see if the colony "needs" to be split, it should be our plan from the start, every year, for every colony that is strong enough. If the beekeeper doesn't want or need more colonies, re-combining is always an option after the new queen is well established. Even better would be to sell the resulting nuc to a fellow beekeeper, reducing the movement of bees, mites, and pathogens around the country. Colonies not strong enough to be split probably have a problem that needs to be investigated, and should probably be re-queened.

So, we have established that it is important to split colonies, and to do it early. The right time is when the colony is strong enough, and there is a good nectar and pollen flow coming in. This should be long before the colony has decided to swarm on its own. The colony will start out with a few queen cups, then there will be lots of queen cups, then lots of drones, then back-filling of the brood chamber, then larvae in queen cells. The right time to split is at step two; when there are tons and tons of drones. This will ensure good mating for our new queen, and should be at least a couple of weeks before back-filling begins. The colony should have at least six frames of brood, and eight is better.

One of the best ways to split a colony is to find the



Using a syringe, deliver 5ml per seam of bees, eight days after queen release in package; or to split containing only open brood, immediately after splitting; and to queen-raising split three weeks after queen emergence. Randy Oliver photo

queen and move her and three or four frames of brood and bees, and over half of the honey and bee bread into a new hive in another location. This way, the queen gets what she wants, to move with a few bees and start a new colony. The old colony gets what it wants, a new queen. The balance between foragers and nurse bees is preserved in both colonies.

It is a fact, though, that many beekeepers cannot find their queen, or are not patient enough to do so, especially in Spring when the population is high. And, many backyard beekeepers do not have another apiary location, and the split must stay in the same yard. In that case, the Reverse Doolittle is very easy and effective. It moves the queen and all of the nurse bees to a new hive across the yard, and leaves the foragers and emerging brood to raise a new queen. There will be enough bees with the queen to support her, and few enough that she won't get back to swarming size until after the main flow. This can be done in a new box, or in the unoccupied end of a long Langstroth or top bar hive. Simply move the open brood to the new location, shake the bees off of the frames



This is a getting-ready-to-go beard. Once they have decided to swarm, it is too late.







Versions for North America, Europe, Australia/NZ 2-year manufacturer's warranty

Hand crafted in the USA

Visit our website for more beekeeping tools www.PierceBeekeeping.com



containing capped brood into the new end, and give more than half of the honey and bee bread to the queen, who has few foragers and a lot of mouths to feed. The frames containing capped brood go back in the original location along with one frame of eggs. The foragers will return to their accustomed home to cover the emerging brood and raise a new queen. Nurse bees don't like to fly, so won't abandon the queen, and will be available to care for the open brood. We have helped the bees do what they wanted to do, and have saved our honey production, while providing the brood break essential to reduce mite numbers and miticide use.

This same method, the Reverse Doolittle split, can be used to split a framed hive into a top bar hive. Simply shake all of the bees out of the parent colony into the top bar hive. The queen and nurse bees will stay while the foragers go back to the original hive. The capped brood and at least one frame of open brood stay in the parent colony, while two frames of mixed brood should be left in the new colony as an anchor to keep the bees from absconding. If the frames are left standing on their tops, upside-down, the brood will emerge, but the queen will not lay eggs in them. By then the bees will have drawn some comb on the top bars, and the queen will migrate to the new comb. The now-empty frames can be removed. Also be sure to leave honey and bee bread with the new colony, as they have no foragers. Feeding is critical for just-split colonies, to help them build new comb and grow the colony in time to take advantage of the coming nectar flow.

If swarm cells are found, the colony has decided to go, and they will do so, even if all of the cells are removed, potentially leaving the colony hopelessly queenless. Move the queen to the far end of the horizontal hive and keep the swarm cells in the original location. Remember to brush the bees off of comb containing swarm cells if necessary, never shake queen cells. We have helped them do what they wanted to do. If they still swarm, or one side ends up queenless for any reason, simply slide the frames or bars containing bees together. I like to play it safe, and usually take some kind of precautionary step to ensure

happy combining like using duct tape to affix a piece of newspaper to the sides and bottom of the top bar hive. Cut a few half inch slits in it, so that two colonies can smell each other and the queen, they remove the paper in a few days and go on about their business without killing the queen. Another simple way of helping them be happy with a re-combine is to spray everyone with a 4 times concentration of Honey-B-Healthy. By the time they get done licking each other off, they have forgotten who the enemy was.

I like to use a follower board in a top bar hive or long langstroth that houses a new or smaller colony. The follower board may not be necessary, but can be helpful in making the bees feel that they have a defensible space. A honey bee colony in a space the right size grows faster than one with too much space. In a new colony, the follower board should start in about the number 10 position, counting from the entrance. As the colony grows, there should always be three to five empty frames in place for the bees to work. Move the honey back, and insert frames with or without foundation, or bars with guiding foundation strips behind the brood nest. Most top bar and long Langstroth hives hold about 32 bars or frames. Once the colony is occupying half of this space, remove the follower board completely.


So now, we have helped guide our new colony to grow quickly by feeding and providing a properly sized, defensible space, and helped keep both the new and the established colony from becoming honey bound. We have split our colonies early enough that they can recover and take advantage of the flow, or we have re-queened the colony that was too weak to split. Next month, we'll discuss better ways to count for mites in foundationless situations like top bar hives, how to treat for mites using treatments meant for regular Langstroth hives, and how a two queen system works in a long Langstroth hive.


http://scientificbeekeeping.com/the-learning-curve-part-3-the-natural-miticides/ Mixing proportions for OA and tips for use. Randy Oliver; July, 2009











ALMOND SET Vs. FINAL YIELD

Joe Traynor

Honey Bee Pollination

The sole purpose of plant and animal species is to pass on their genes to the next generation and to future generations. For almonds, it is the seed or kernel that transmits these genes. Before modern farming, isolated almond trees produced maybe 100 almonds per tree. Today, with ample compatible pollinizer varieties for cross pollination and with good populations of pollinating insects (mainly honey bees) an almond tree can produce 14,000 almonds (aka kernels or meats) per tree, which translates to roughly 3,000#/acre.

Almond flower production can vary from 40,000 to 90,000 blossoms per tree so all it takes in most years is a 25% set to get a 3000#/ acre crop. Individual almond flowers produce 40,000+ pollen grains per flower. Since all it takes is one pollen grain to set an almond, accomplishing a 25% set is not an unreasonable task for bees. Barring catastrophic weather, many more almonds will be set from pollinated

flowers than the trees can hold. Drop of pollinated nuts starts after petal fall in March and continues through June. The tiny nutlets from flowers that were not pollinated start dropping within a few weeks after petal fall and can be distinguished from pollinated nutlets by pushing them with your thumb - pollinated nuts will remain on the branch or spur, those that weren't pollinated won't. A significant drop of pollinated nutlets occurs every year. This drop can be discouraging but is Nature's way of balancing crop load with overall tree health.

An almond tree not only has to bring it's kernels to the finish line (to harvest), but must also must drag the hulls and shells along with them. Because green almonds are 52% hull (vs. 14% kernel and 32% shell) bringing hulls to harvest represents a significant drain on a tree's resources. The hull burden on almond trees is analogous to requiring a runner to carry 50# weights during a one-mile race the runner can discard the weights before reaching the finish line, the almond tree cannot. The almond tree compensates by shedding green



almonds - hulls, shells and kernels.

Almond trees and peach trees are closely related. Peaches command a high price (around \$500/ton) because of their tasty flesh (called "endocarp") that surrounds the seed-containing pit. The endocarps (hulls) of almonds are, like peaches, high in sugar and nutrients making them an excellent and tasty feed for dairy cattle. With current problems in the dairy industry plus more hulls from increased almond acreage, hull prices have dropped from \$120 to \$60/ton in recent years. Income from almond hull sales is a nice source of extra



income for almond growers; it used to be enough to cover hulling costs, but not anymore. The almond industry is working on and is optimistic about developing new markets for their nutritious almond hulls.

Like almond trees, peach trees also drop pollinated fruit after petal fall, but not enough for the remaining peaches to reach optimum marketable sizes. As a result, peach growers spend up to \$1400/acre to thin peaches, a major expense not incurred by almond growers. Unlike almond growers, peach growers get little or nothing for their peach pits or

for the seeds within the pits.

During almond bloom in 2013, USDA workers counted the number of pollinated almonds set on limbs in a Kern County almond orchard stocked at three bee colonies/acre and compared them with those from an orchard stocked at 1.5 colonies/acre. The almond set was determined after petal fall and was significantly higher (around 80%) at the higher stocking rate. This higher initial set did not translate into higher vields because of the higher

drop of green almonds – the higher the initial set, the greater the later drop. Final yields on both plots were about the same. The take-home message: higher bee stocking rates will increase the number of almonds that are set, but will have no effect on final almond yields.

Current bee recommendations for almonds are to use two colonies of bees per acre, with the colonies to average eight frames of bees per colony. Some crop insurance companies accept 16 frames of bees per acre, which can be supplied by 1.5 colonies of 12-frame strength. two




colonies/acre has been and currently is, the accepted bee stocking rate for almonds, in spite of the fact that there is no solid data to back up this recommendation. Because the flight range of bees is two+ miles, an adequate test for bee stocking rates would require comparing yields on an isolated orchard stocked at two colonies per acre with one or more orchards at least two miles away stocked at one colony per acre or less - both orchards would need to have identical cultural practices. Such isolated orchards have never been found, which is why there never has been, and probably never will be, an acceptable study on bee stocking rates.

The original bee-stocking rate was published by UC in 1947 in Circular 103 on almond culture: "In general, one hive per acre is ample, even in adverse seasons." One could quibble about the use of the term "hive" (rather than colony or frames of bees), but this recommendation should still hold today. A number of growers use only one strong bee colony per acre and are happy with their excellent yields.

The cool, rainy 2019 almond bloom certainly qualifies as an "adverse season" for almond pollination, yet final almond yields were far better than many expected or predicted in March - a good indication that bee stocking rates were more than ample. Most almond growers could trim their operating budgets significantly by using half as many bee colonies as they currently use. They may have to show their crop insurance agent that they are renting strong bee colonies and spend time convincing these agents that they are supplying their orchards with ample numbers of bees, even at a stocking rate of one colony/acre. Crop insurance requirements are the biggest impediment to growers that would like to cut back on their bee numbers. Almond growers should enlist the support of UC and the Almond Board to convince crop insurance people that current bee requirements are excessive. BC

References: Almond Pollination Math. PNP January 2013; Flower Density and Almond Yield. PNP December 2015; Cutting Bee Rental Costs. PNP July 2018

Photos courtesy of Kim Flottum





HONEY BEE HEALTH COALITION

Check out our FREE Beekeeping Resources:

VARROA MANAGEMENT GUIDE

A practical guide and step-by-step demonstration videos featuring safe, effective methods to detect, monitor, and control Varroa mite infestations.

HONEYBEEHEALTHCOALITION.ORG/ VARROA

BMPs FOR BEE HEALTH

A guide for beekeepers featuring Best Management Practices on safety, pesticide exposure, bee nutrition, hive maintenance, treatment of pests and disease, and more.

HONEYBEEHEALTHCOALITION.ORG/ HIVEHEALTHBMPS

VARROA MANAGEMENT TOOL

An interactive decision tree that provides beekeepers with Varroa management and treatment options based on their specific circumstances and hive conditions.

HONEYBEEHEALTHCOALITION.ORG/ VARROATOOL



Did you know?

- * Digestion is performed by microorganisms called gut bacteria.
- * Without Microbes, nutrient absorption is minimal...

Microbes are getting harder to find...

Pesticides, fungicides, antibiotics, and herbicides used in modern agriculture, are all

antimicrobial.





SuperDFM-HoneyBee[™]

protects the beneficial microbes in the honeybee gut helping to restore proper digestion and nutrient absorption.

1-844-MY-MICRO

StrongMicrobials.com 10% Off Promo Code -> BC2020

Subscribe AMERICAN Subscribe to keep your Nam! Hives Alive! Stay informed every month for the price of a cup of coff Monthly Magazine All prices good through December 31, 2020 Science & How To Renew Subscription **New Subscription** U.S. lat We fear 56? - 110 Order Back Issues Current year \$2.10 each plus postage 1 Year 529.00 scientific advancements For other back issues, write for prices 2 Years \$55.00 HE TOURSELF BEAR FERD ABJ Magazine Binder \$20.00 postspepsid in U.S. 3 Years 578.00 **Great Columnists** Change of Address Canada Including: Peter Borst Randy Officer Rusty Burlew Wyatt Mangure Albon McAlee Scott McArt include address/label reference or customer number 1 Year \$47.00 Z Years 590.00 Dorte Foreign Name 1 Year \$54.00 Address 2 Years 599.00 Beekeeping Basics Covering critical topics for beginners every month Address Digital 1 Year \$16.00 American Rec Journal 51 S. 2nd St., Hamilton, 1, 62841 www.americanbeejaurnal.com Ph: 217-847-3324 And So Much More 2 Years \$32.00

Requeening: A Spiritual Perspective

Our Everyday Lives

I received and interesting message on my voice mail this Winter. After a round of phone tag I finally connected with the caller who turned out to be a fellow from Ohio who was relatively new to beekeeping. He apologized for the difficulty I had reaching him and explained that his family only had a single phone in their household. He said he loved working with the bees. It fit right in with his farm plan that included fruit trees and chickens. Unfortunately, he had lost his hives in both of the last two Winters and had some questions for me. During our conversation he mentioned that he was being mentored by a neighbor down the road which he greatly appreciated, but it was a bit of a chore to visit him, as he had to hook up his horse and carriage in order to make the several mile journey to see his beekeeping neighbor. Judging from our conversation I am guessing he was a god-fearing religious man who was a member of a Mennonite community.

He mentioned that one of the things he was planning on doing in the future was to requeen his hive every year. When I asked him why he felt a need to do so, he said that requeening is what his mentor does and recommends. When I pointed out to him that these are God's creatures

and asked him why he thought it was a good idea to kill off his queens just because they were a certain age, his voice changed and I could tell I had got him to stop and think more about this plan and how he might bring his spiritual values to his beekeeping.

Special treatment

We beekeepers are a peculiar bunch. While it may exist, I cannot think of any other animal kept by humans that we kill just because it reaches a certain age, unless they are being harvested for food, are incurably sick, or injured beyond repair. A two-year old queen does not fit into any of these categories, and yet we consider it normal and even "proper management" to destroy this perfectly healthy queen.

We rationalize the killing of a queen due to characteristics of her performance that are judged undesirable. "Poor brood pattern" we say; or "need to stop the colony from swarming." And yet, this type of rationalization seems particular to beekeeping, since it is not typical for folks to kill off animals in their care just because they don't like the way they act. The exception is when an animal is no longer productive, or they present danger to the health and safely of other people, animals, or

crops. So why do we beekeepers not share a similar benevolence towards the pollinators in our care?

Symptom of a larger issue

When contemplating why we beekeepers have this idiosyncrasy there are several possible explanations. They include the perception that we are separate and apart from nature, as well as our general negative attitude toward insects that we tend to consider pests and a threat. These attitudes, reinforced by sensationalism in the media, have resulted in a society that goes to great lengths to kill off most insects and remove them from our daily lives.

Another contributing factor is that the economic penalty for destroying the part of a honey bee colony that carries the super organism's genetic information is low. Queens are widely available at certain times of the year and are relatively inexpensive, usually costing from \$20-\$35 each.

Honey Bees as a resource

A root cause of our requeening behavior appears to be a world view that prioritizes the world around us by what it can do for us, valuing most the things that we can use to earn money. We have even codified this



Genetic resistance to diseases that have yet to appear in North America is one example of the vast amount of information we lack when we judge a queen bee solely on her age."





Virgin unhatched queens have the potential to lead a new super-organism we call a honey bee colony. It is not until she successfully mates that this potential has the ability to be fully realized upon her re-joining the rest of the colony that raised her and will allow the development of a new individual colony that is genetically unique from all others."

thought process in our language by referring to the things found in the natural world as "natural resources," as if the entire planet exists simply to supply people with the raw materials for economic activity.

This "nature as resource" world view forms the basis of our economy which tends to value the destruction of the natural world over its protection. There is simply more money to be made destroying nature than preserving it. Things that are not managed are considered a "wasted resource." All this leads to the degradation and exploitation of our natural world for human convenience and profit.

The term "resource" negates the inherent value of the plants and animals that exist in our world. It converts them from living organisms that are intrinsically valuable to maintaining the life support systems of our planet, into things whose value is judged by its usefulness to humans. For believers, it represents a failure to carry forward the Christian values of putting others before oneself. For non-believers, it is simply a perspective that ignores all the host of environmental services that non-human beings provide. All

too often when we treat non-human entities as a resource and prioritize our needs over theirs, the other is treated disrespectfully and the longterm health and well-being of that organism and our ecosystems suffer.

Beekeeping is no exception

The idea of exploiting bees for money may conjure up the image of large-scale commercial beekeepers, however, the harm referred to and caused by the "resource" state of mind is just as easily implemented by the backyard beekeeper. Even some beekeeping best management practices fall into this category.

Feeding of sugar syrup not to prevent colony starvation, but to replace honey needed by the bees but taken from the hive to maximize profit is an example of the commodification of beekeeping. Becoming comfortable with allowing large numbers of bees to die each year knowing the survivors can be split and losses made up is another. Some rationalize such behavior by claiming that we are perpetuating the strongest survivor colonies. While this motivation appears sincere, American bee breeders have been working to produce mite resistant bees for decades, and yet a truly resistant commercially available bee remains elusive. Honey bee colonies end up being treated as a resource to be exploited for maximum economic potential.

In a similar vein is the practice of viewing nucleus colonies as a "half a hive" and regularly "harvesting" their brood, bees, queens, honey, etc., thereby cannibalizing the nucs for use in other colonies throughout the season, or when a colony needs re-queening. We create all kinds of rationales for killing the queen and replacing her: from poor brood pattern or colony performance, to disease issues, or simply blame the hive's instinctual drive to swarm. What is rarely acknowledged after re-queening is that the hive cavity is now occupied by a different colony.

Scientists base the definition of an individual honey bee colony on the unique set of DNA held by the queen that carries the genetic code for the super organism. As such, the queen defines the colony. Each queen-right colony whether full size, or nuc, is an individual in its own right. The old colony is killed when the original queen dies, and even though the bees inhabiting the hive are the same (for a few more weeks) the superorganism becomes a new one with different DNA.

Biodiversity

The honey bee like the rest of nature, is not a passive substrate to be endlessly appropriated, manipulated, and controlled. The importance of the interdependent and dynamic relationships between human beings and nature and the values we ascribe to nonhuman entities deserve serious reconsideration. Nature and natural entities have their own particular goods and services that they provide for the world. Such gifts are independent of human purposes, and deserve a certain kind of moral and spiritual respect.

What actually constitutes respect toward nonhuman entities like honey bees? The answer for each organism certainly has to do with supporting its ability to live, thrive, and reproduce at will. But how can we know what is good for a species or ecosystem? And additionally, how do we balance our divergent responsibilities toward multiple human and nonhuman entities? Nature and natural entities cannot speak for themselves.

A good place to start is to admit that interests other than human ones should be considered. Since we face huge uncertainties about how to respect and enhance opportunities for the rest of creation, collective exploration, experimentation, and deliberation is called for. The biophysical and ecological limits of the planet provide both a moral imperative for respecting nature. The present unstable condition of the biosphere symbolizes our troubled relationship with nonhuman organisms and, at the same time, is an indicator of how we might rebalance this relationship and achieve a renewed respect for the natural world which we rely on for our survival.

Unfortunately, a combination of denial, uncritical faith in technology, and the deadening effect of our comfortable modern lives results in a psychological weakening that prevents a decisive shift from the current age of plunder toward an age of respect.

Gaia Hypothesis

In the early 1970s, James Lovelock proposed the Gaia hypothesis that theorizes "that living organisms interact with their inorganic surroundings on Earth to form a synergistic and self-regulating, complex system that helps to maintain and perpetuate the conditions for life on the planet." (Wikipedia) Similar to a honey bee colony, the Earth itself may be a vast super-organism. This concept echoes the words of Aldo Leopold who wrote that it is possible "to regard the earth's parts - soil, mountains, rivers, atmosphere etc, - as organs or parts of organs of a coordinated whole, each part with its definite function . . . In such case we would have all the visible attributes of a living thing, which we do not realize to be such because it is too big, and its life processes too slow." Such perspectives resonate with the Christian view that each believer is a part of the body of Christ.

We keep destroying perfectly developed organisms that make up our world in order to make relatively basic and crude tools and knickknacks, while congratulating ourselves on our skill. That tree growing outside feeds and creates living soil, prevents soil run off, and provides carbohydrates so soil micro-organisms can thrive. That tree provides food and habitat for countless insects and animals, helps purify the water and air, while helping to stabilize the atmosphere and climate. If the tree is injured it has the capacity to heal itself. That tree also has that potential to live on indefinitely through the act of reproduction. All this without any

Researchers have discovered that not only can some colonies identify mites reproducing in sealed brood cells and remove them opening up cells in the brood area, but under certain conditions bees will also intentionally leave come cells empty in the brood nest in order to be able to more effectively in-cubate their developing young. This makes re-queening a colony based upon a "poor brood pattern" a questionable practice."



human involvement whatsoever. The tree is more perfect than anything we humans have ever produced (with the exception of another human being), and yet we think nothing of cutting down this incredibly valuable and perfectly developed being to create things like tables, telephone poles and paper to write on. Even though they may not be as perfect and some things we create are very useful and even necessary, too often we create in a wasteful, inefficient and unnecessary way. We now understand that when such activity is carried on with little thought to the effects on the non-human organisms and ecosystems, instead focusing in on profits, growth and development, serious problems arise.

Humanity can be compared to astronauts on a spaceship traveling among the stars and we passengers keep tearing off parts of the spaceship and using them to manufacture simple tools while congratulating themselves on how industrious they are. One can imagine that this behavior will eventually compromise the ability of the spaceship to maintain its life support systems and trajectory dooming its occupants.

Today we find ourselves on spaceship Earth. In order for us to continue safely on our journey through the stars, it is time we start accepting a world governed by biophysical limits to growth, development and manipulation. Through our thoughts, words and actions, we collectively decide whether we will develop a different relationship with the natural world. A relationship in which bringing forth our spiritual and moral beliefs into our everyday lives (such as our beekeeping), will be crucial.

Ross Conrad is author of Natural Beekeeping and co-author of The Land of Milk and Honey: A History of Beekeeping in Vermont. Ross will be teaching an organic beekeeping for beginner's class the weekend of May 16-17 in Lincoln, VT. For information contact Visit http://www.dancingbeegardens.com/events.html





This Year Will Be Different



1 really mean it - just like 1 meant it last year.

In my bee world, I'm looking for something. I've yet to find it.

"But I still haven't found What I'm looking for But I still haven't found What I'm looking for..."

As another Spring and Summer season starts, I nearly feel as though it is the beginning of a new year. Some of you have bees that are already brooded up. No matter what our calendar predicts, our bees are already on the job – with or without us. My Spring season, as I write, is just starting. Every time a new season starts, I go through this procedure of making plans for the new bee season. This is the year. I feel it. This year, I will finally put together something that I have been looking for. I'm going to be sure that this year is different. Yeah, right.

I don't want to go all sappy on you, but after all these decades of working with bees, there is an ambience – maybe satisfaction or maybe a sense of safety – that finally comes to those established beekeepers who can look backwards as well as looking forward. I love that bee-related ability. The musty odor of old bee books. A well-used hive body with failing corners. The memory of old beekeepers wiring frames and themselves, making plans for some long past season that was to be "their season." None of this plastic stuff for them. It seemed that they practiced "Classic Beekeeping." An apicultural process to be coveted and revered.

Recently, every one of us were required to review our personal world as we experienced the novel threat posed by COVID-19. Unkept that it is, I found a familiarity and comfort in my scruffy bee yard; as if it were, my safe place. I reaffirmed how much my bees and beekeeping mean to me.



Old beekeeping postcards

For all my devotion to all things honey bee, I do not truly, aggressively collect bee stuff. I certainly have odds and ends, but I have never had both the funds or facility to truly collect and store bee-related artifacts. Even so, somewhere along the way, I have come to possess a few antique post cards that show bee related scenes.

On a picture postcard that I have, a young beekeeper in 1915, known to me only by the initials, "S.B.T." had his picture "struck" while sitting in his beeyard. He is holding a deep frame as he apparently sits on an upended deep hive body. The young man seems to have been confident in his bee management. He even mentions in his brief postcard comments, "This picture shows how afraid I am of getting stung." If I consider how feisty *Apis mellifera mellifera* (German Black Bees) are, he could have been taking a real chance on being "lit up" if he had not handled them with adroitness.

I enjoy forensically studying such old photos. Look at the complete absence of herbicidal chemicals. There are weeds and biotic growth everywhere. The nearness of nature just barely being kept at bay. The hive equipment appears to be homemade, but that would be difficult to determine. At that time, S.B.T. only had issues with American foulbrood – maybe some European foulbrood. I doubt he had a supply of improved queens. I would guess that he made splits and hived swarms.

Judging by the growth flush, in 1915, the season was well underway – even advanced. Yet, he had no tall colonies. He seems to have been in a colony increase phase. If his bees were making any honey, the colonies would need it for themselves to survive during the Wisconsin winter that was only a few months away.

What about robbing? That many colonies that close together would result in drifting and thieving. As the season passed into warm weather, I would doubt that he could whimsically hold that frame without protection.

I have noted in many old bee photos that the surrounding forest appeared to be abused. The woodland bit that shows seems to indicate that the surrounding forest had been recently cut or even cleared. Note the leaning tree behind the central building. It has the look of an abused tree that was recently near a logging operation. Not exactly woodlot management procedures for our time, but it was probably routine for S.B.T.²

¹Partial lyrics. "I still haven't found what I'm looking for."

Artist: U2; Album: The Joshua Tree; Released: 1987; Recorded: 1986; Producer(s): Daniel Lanois; Brian Eno

²If you care – S.B.T. addressed his card to his friend, Elmer Shaw in River Falls, WI. What are the chances? I did a web search and found an Elmer Shaw in River Falls attending the University of Wisconsin in 1915. He would have been a similar age to S.B.T. I actually have a photo of Mr. Shaw. These two young men would now probably be more than 120 years old. Could be coincidence or they could have been the friends described on the card.

S.B.T. (no name presented) with his bees in 1915.



An enlargement of S.B.T.



When looking at such old bee photos, is this the time and place where I should be searching for ambience, continuity, and consistency? Was this the good, ole timey place where there were no *Varroa* and no pesticides? Or is this the time and place in our beekeeping history where tin honey tanks were sealed with lead solder and 60# square metal cans were used for honey storage. Our protective clothing was marginal and our smokers unimproved and frustrating.

Nope. I still have not found for I am looking for

Maybe it's just the the search for beekeeping placidness and fulfillment that drives me. Keeping bees has never been static - not for S.B.T. or for J.Tew. Maybe Classic Beekeeping was always furtive and elusive. Stings have always hurt. Colonies have always died during Winter seasons. High swarms routinely got away. Poor queens have always been with us. Who knows? Maybe I am indeed a classic beekeeper – just decades and decades ahead of my time.

A visit to the Apivar manufacturing facility in Chaillac, France³

Last year, I had the unique opportunity to visit Veto-pharma facilities in Chaillac, France. This company manufactures Apivar, a *Varroa* control product that is sold worldwide. The company also designed and produces the *Varroa* easyCheck device that is popular in the U.S. The device simplifies the *Varroa* washing procedure. In all my years of beekeeping wanderings, this was my first (and only) opportunity visit to a company that produces a popular *Varroa* control product.

Though several people were involved, I was hosted by: Joanna Collin, Product Manager, Phil Craft (North American Technical Advisor) and Fredrick Proni, North American Area Manager, Veto-pharma, and Ludo DeFeraudy, Chief Operating Officer, Veto-pharma.

My observations were:

- 1. The staff was young, intelligent, confident, and committed to Apivar production.
- 2. Specifically, the staff I met were personable, likeable, and multilingual.
- 3. The facility was immaculate even warehouse areas.
- 4. The commitment to quality control at every step was powerful and apparent.
- 5. Apivar label data was scrupulously accurate.
- 6.A consistent recurring theme was that beekeepers are getting exactly the product dose they think they are getting.

The video

The primary intent was to video the facility visit and post for public review. Part of the video production was live and occasionally presented some technical challenges. Nevertheless, the production is viewable, explains the production procedure, and shows pertinent parts of the facility at Chaillac. Questions and clarifications of the video or Apivar use can be directed to Phil Craft,

³I suppose a commitment to my openness and honesty is in order. Specifically, for the facility tour, my expenses were paid. Nothing more. International travel and travel to the Veto-pharma facility visitation amounted to two full days. The remainder of the trip was at my wife's and my expense. Presently, though I personally use Apivar and vaporized oxalic acid as my present varroa control plan, my comments here do not comprise a recommendation of Apivar or any other product.



Phil and Jim, a couple of beekeepers on a Parisian sidewalk cafe.

Veto-pharma Technical Representative for the U.S. at: philcraftbeekeeping@windstream.net

The video is located at: https://youtu.be/S8NDlfo1J4Y



Luxembourg Gardens

Results from several previous reader surveys, indicate that reviews of tourist events are not high on your bee reading lists. I apologize, but I hope you will suffer through a couple of the major bee things my friend, Phil Craft, showed my wife and me.

My wife and I were 22 years old the last time we toured France, specifically Paris. That was 50 years ago. At that time, I had not experienced my passion for honey bees, so I missed all things bees. I did not make that mistake this time. Even though we visited many of the routine tourist attractions, Bees were on the top of my agenda. It was surprisingly easy to find bee-related locations.

I had not heard of the bee exhibit at Luxembourg Gardens. There have been bees and bee classes taught there since 1856. The bee gazebo and the antique-styled bee hives presented a sophisticated view of a long-term commitment to beekeeping. Iron fencing, a uniquely designed bee fountain, and posted French language warnings admonishing us to stay back. Since we could not read French, we got remarkably good views of the famous apiary and a couple of stings.

This bee exhibit is well known. There are numerous web pages. I randomly selected this one.



https://www.ipreferparis. net/2012/01/-bee-house-in-luxembourg-gardens.html

4https://www.veto-pharma.com/varroa-control/61-126-varroa-easycheck. html#/41,contenance,unit





The Bee Pavillion at Luxembourg Gardens, Paris, France.

Personally, I was struck by the long commitment to honey bees and to this specific apiary. I don't know of a one-hundred, sixty-four-year-old apiary in the U.S.

Roof top bees in Paris

My wife and I were only there for a few days. That's nothing in a city such as Paris. I admit, I was an inexperienced tourist in that great city. Having said that, it would appear that rooftop bees in Paris are frequent—maybe even common. Nearly everyone seemed to know of rooftop bees somewhere. Happily, rooftop bees are a thing in this country, too. I have visited rooftop bees in Denver and a few other places, so I could at least look sensible as I stood on the roof looking at bees flying from ten floors up.

Frequently, (with my limited experience, may I say "frequently"?) rooftop bees were sought out by some commercial businesses – not just hotels and restaurants that were pushing their rooftop honey. In some instances, new building blueprints included bee niches or bee rooms – not just rooftops.

As I searched the web, several hits came up where users asked, "Why are there so many bees in France?" That one I cannot answer, but I was reminded by our French hosts that Charles Dadant was a native Frenchman. He founded the Dadant Company in Hamilton, Illinois.



Beehives and the bee fountain at Luxembourg Gardens, Paris, France.



A breezy rooftop apiary that we visited that is about 10 floors high.

Personally, I was struck by the ease and acceptance of bees within the city of Paris – including rooftops but not excluding apiaries on the ground. As stated, I do not know the registration details, but I did not sense the restrictions that could possibly be encountered here. For instance, at the Luxembourg Gardens, people were strolling by and even sitting near the apiary. Surely, France must have the usual bee-terrified people, but I did not see any. One last time – I was only there briefly. Likely I was seeing and opining what I wanted to see and opine. I came back to Ohio, tired, bee-exuberated, and energized. It was a great 50th anniversary trip for my wife and me.

Do-it-yourself queens

I acknowledge a select group of beekeepers who go the extra distance in our craft. Those who produce queen cells and queens for their personal use are a unique subgroup of beekeepers. Yes, it does take coordination and commitment, but it also produces suspense and enjoyment. After transferring the larva, waiting for a couple of days and then checking the results, adds some zing to otherwise routine beekeeping management procedures. It's a surge of beekeeping adrenalin when



Home grown queen cells from John H.'s queen yard. Nicely done.

some of those transferred larvae have been accepted by nurse workers.

An interesting aspect of this procedure is that the accepted cells are not required to be beautiful. You and your bees did this. In this situation, any cell can be a good cell. The primary expense has been your time and effort. I don't think any authority has ever clearly shown that a good queen cannot come from a scruffy mature queen cell.

So, for you beekeepers who have trained yourself to produce queens – great job! Great job. And thanks for letting me know that you gave it a shot.

As always

As always, thank you for reading. I'm humbled and appreciative that you have spent some of your valuable time in this way. I'm working on next month already.

Sincerely, Ji

Dr. James E. Tew, Emeritus Faculty, Entomology, The Ohio State University and One Tew Bee, LLC. tewbee2@gmail.com; http://www.onetew.com







NMR Honey Testing Policy Adopted at the 2020 National Farmers Union Convention

The National Farmers Union (NFU) 118th Anniversary Convention concluded earlier this month following the adoption of the organization's policy book and special orders of business. More than 500 family farmers and ranchers convened in Savannah, Georgia, to set policy positions and priorities that support American farm and ranch families and strengthen rural communities.

Delegates to the convention adopted the NFU Policy Book and six special orders of business that will guide the organization's government affairs priorities over the course of the next year, especially as they relate to the tough economic circumstances and sustainability issues facing family farmers. Before the policy review began, they elected Rob Larew to succeed Roger Johnson as the organization's president and reelected Patty Edelburg of Scandinavia, Wisconsin, to serve as NFU Vice President.

"The reason for Farmers Union's longstanding success – and the reason why I am so enthusiastic about leading this organization – is its grassroots structure," said newly elected Farmers Union President Larew. "Each year, our members set organizational directives and federal policy priorities in a democratic process, which ensures that the work we do in our national office is really in the best interest of the hard-working family farmers and ranchers feed, fuel, and clothe our nation."

Utah farmer and beekeeper, XX, proposed adoption of NMR (Nuclear Magnetic Resonance) honey testing under the "Health and Inspections Standards for Food and Fiber" section. The proposal which reads, "{We support} nuclear magnetic resonance testing on all imported products that are labeled as honey to ensure the purity of honey," was adopted unanimously.

While addressing his NFU co-delegates, XX stated, "This is an quick and affordable test that protects the beekeeper and consumer through proving the adulteration of pure honey with sugar syrups and/or chemical additives, as well as country of origin."

NMR honey testing has been used for decades, however became newsworthy when the procedure was used to test honey entered into the Apimonida Montreal 2019 Honey Show. Forty five percent of the entries were pulled, citing NMR's detection of illicit sugars, antibiotic and pesticide residues, HMF, and country of origin discrepancies.

The Farmers Union Policy Book is a member-driven dynamic, working document that reflects the priorities of our country's agricultural producers. The policies adopted at the 2020 convention will determine the NFU's priorities for the coming year. Past policy positions approved by delegates have been adopted into farm bills and other pieces of important, impactful legislation.

Farmers Union members are welcome to suggest ideas for integrating NMR into the supply chain by contacting Sarah Red-Laird, or Bob Redmond, at northwestfarmersunion@gmail.com.

Full text of the adopted policy manual will be available soon at www.nfu.org.

About NFU

National Farmers Union has been working since 1902 to protect and enhance the economic well-being and quality of life for family farmers, ranchers and rural communities through advocating grassroots-driven policy positions adopted by its membership.

About NWFU

Northwest Farmers Union is a grassroots advocacy organization for family farmers, ranchers, and fishers in Idaho, Oregon and Washington.

submitted by Sarah Red-Laird, NWFU President 541.708.1127

northwestfarmersunion@gmail.com

Dr Melissa Oddie, a Canadian researcher, will continue her research for at least two years based on the *Varroa* resistant bees with Terje Reinertsen in central Norway. Her doctoral dissertation was based on research with these bees. The Norwegian authorities have allocated \$ 1 million (NOK 8.5 million) for this research.

February 21-23 t h e commercial beekeepers in Sweden (Biodlingsforetagarna)had a conference in Sunne in western Sweden close to the Norwegian border at the newly built hotel Selma Spa. It was fully booked. Beekeepers from Sweden, Norway and some from Finland were listening to Terje and Melissa and many others, from the University of Agriculture in Sweden (SLU), from Belgium and Canada to mention a few. Sunne is the place where Selma Lagerlöf lived, a famous author, the first woman to get the Nobel Prize in literature.

Dr. Oddie discovered a salient trait in Terje Reinertsen's bees which expresses itself in that bees uncap pupae in which there are mites and recap them again without damaging the pupae. This apparently interferes with the mites' reproduction. The characteristic that is otherwise very much in focus today is called VSH (*Varroa* Sensitive Hygiene). Here, the bees remove pupae that are invaded by mites (mites that have offspring). VSH is not a prominent feature of the resistant Norwegian bees.

Visit in Norway

In the Fall of 2019, my wife Gunvi and I visited Anita and Terje Reinertsen. They don't have a lot of suitable agriculture land for growing crops in Norway so they use every little piece of land possible to grow food. Quite steep slopes had recently been harvested. Norway is no longer Sweden's little brother as it's been for many years. It's the big brother now, with oil and gas and *Varroa* resistant bees!

The Varroa resistant bees

Some years ago, researchers began to be interested in a population of Varroa resistant bees in Norway around Terje Reinertsen. The important thing is that you don't have to treat them at all against the Varroa mite, and they are therefore not treated. The mite population in a hive of Terje can vary during the season. His bees hasn't been treated for about 25 years. It was about the time when the mite came to Norway. When I became aware of this, I wondered why we hadn't heard or read more about his bees during these many years.

Now there has been some exciting research reports from the works of Dr. Melissa Oddie and her coworkers. 1,2,3,4 Research on these bees was the basis for her doctoral dissertation. Since then, articles and reports of the bees of Terje Reinertsen have been published.

He has been focused on developing a stock of *Varroa* resistant bees since the mite began to create problems in Norway. And he has done that together with beekeepers in his vicinity. In April 2019, he was one of the speakers at a conference in southern Sweden on healthy bees

Varroa Resistant Bees Get \$1 Million In Norway

Erik Osterlund

that do not need to be treated against parasites and diseases, and how to get there. Melissa Oddie participated, together with several other speakers including also Kirk Webster from Vermont. And now in February 2020 he and Melissa Oddie were speaking in Sunne.

Varroa in Norway

In 1994, the *Varroa* mite had made its presence so well known among beekeepers in Norway that it was decided that bee colonies had to be treated against the mite. The central association took help from countries where they had had more experience of the mite. Among other things, it was recommended to use "Krämerplatten" that evaporate formic acid in the bee colony.⁵

Terje listened carefully to the advice and treated his bees in the recommended way in the Autumn of 1994. He lost 70% of his colonies in the Winter of 1994-95. Other



Dr. Melissa Oddie and Terje Reinertsen in Sweden.



Anita and Terje Reinertsen.

beekeepers also lost about the same amount of beehives. Several lost 100%. Spring treatment with formic acid was then mentioned as an additional alternative to save colonies that survived the Winter. Then fewer holes in the plastic around the formic acid soft board plate were used so that the evaporation speed would not be so high. Terje applied this method to the survivors.

Decision not to treat

After analyzing the results of all the treatments, Terje and a some other beekeepers concluded that if you were to loose so many bee colonies after treating, you could just as well not treat, because you didn't lose more colonies if you didn't treat.

At that time, little was known about the importance of the balance between all different types of microorganisms (bacteria, viruses, and other types of microbes) for the immune system. Such an ecological system of microorganisms in and on a living being is called a microbiome. For example, we humans have about 2 kg of microbes on and in us. Without them we die.

Microbiome and epigenetics

The microbiome⁶ is now a hot topic in research, even among bees⁷. The microbiome will become unbalanced

if chemicals in sufficient quantities affect the bees.⁸ Defense against harmful microbes is weakened, for example against pathogenic viruses.

Another hot topic in research is epigenetics. 9 Changes in how genes in the DNA are used, in kind of a contrast (or rather complement) to how the composition of the genes in the DNA is changed through breeding (natural or beekeepers). 10 Changes in the environment create changes in the DNA so that some genes are turned off and others turned on.

Purchase of never treated bee colonies

In 1995, Terje compensated for his colony losses by purchasing about 35 bee colonies. These came from an area where the Varroa hadn't yet arrived to, so these colonies had never been treated against Varroa. Some of these colonies were splits raising new queens of their own. The new colonies developed well and wintered successfully. These were more in number than those that survived Varroa and formic acid. In the Winter of 1995-1996 and onwards, the losses were again about normal, five to 10 %, despite the lack of Varroa treatment.

Because of the large losses of bees for many beekeepers in the winter of 1994-95, the reinvasion of

Terje Reinertsen shows a split in September, grown in strength to be ready for Winter and well fed.

mites was not a problem for Terje's bees. He also started at once with the simple breeding concept he has followed through the years since. He focused in various ways to identify the worst and the best bee colonies when it comes to keep down the mite population and being resistant to viruses.

Breeding strategy

Today Terje Reinertsen doesn't estimate the varroa level in his colonies. He doesn't care about varroa mites anymore. Others have though made estimates. And it seems the *Varroa* levels mainly is 1-3%, with some exceptions at a higher level. The interesting thing is though that no signs of virus damage could be seen.

His main traits for selection is

- 1 Good temper
- 2 High egglaying capacity

Every year he replaces the queens in the worst 30 % of his hives. They are today about 250. Once they were 350. He is in his retiring age, but he's working all days. If not with bees, he's hunting or fishing.

Among the best 10 % of his hives he checks the very best. Good hives are of course also giving a good enough crop. He breeds queens from several of these. He does not regularly replace queens who have grown old. Only when the bee colonies are bad, whether the queens are young or old. Colonies in the mid range (and the best) are allowed to replace their queens themselves. Young queens are mostly mated in the center of an area where many good colonies of somewhat different heritage are kept. This type of mating system you can call population mating, actually the old type of line breeding where all bees in an area could be called a line. I remember Steve Taber explained what a line really was at the Bee-85 conference in Sweden many years ago. This could be likened with a kind of closed population breeding. In this way, high vitality, good harvest and genetic variation is maintained.

Terje wasn't sure it was sufficent with the buckfast variety of bees he had initially, so he tried other buckfast types and some other varieties of bees. Today, Terje's bees could simply be called Terje bees.

Comb foundation

Terje got smaller cellsize wax foundation from Hans-Otto Johnsen,

a beekeeper colleague. Shortly after the year of 2000 he reduced the cell size to 5.1 mm, then to 4.9 mm. Now he is in the process of setting up his own, almost commercial equipment for manufacturing wax foundation.

Establishment of another Varroa resistant strain

Ten years ago he acquired 14 Norwegian carniolan queens mated in an area with only carniolan bees in Norway. These queens were introduced to splits from Terje bees. The splits were placed with a beekeeper about 60 km from Terje, isolated from other bees. Today, the 14 colonies have grown into a population of about 100 bee colonies. All new queens (and splits) come from the group and mated in its area. These colonies have never been treated against varroa. There have always been low winter losses in this group, which has become kind of a stock, a resistant stock. Maybe you can do it this way if you want to produce a Varroa resistant bee stock of a bee variety other than Terje bees.

Terje queens in a different environment

A number of years ago, Terje queens were purchased to some universities in Europe. From Switzerland I have heard results how they managed. They were introduced to tcolonies of local bees managed in their traditional way. After the introduction of Terje queens, these colonies were not treated against Varroa, and they managed well.

Active in the bee association

Terje has always helped beekeeper colleagues and beginners. He has held beginner courses for many years. And he has helped them with splits and new colonies. He has been the chairman of the local association for 20 years and vice president of the district association for many years. Once a month from April to September, the local association has a club meeting in his garden. There are gathered in average 30-35 people.

The Terje stock

There are now 1500-2000 Terje bee colonies in Norway. There are about 100 beekeepers who have these bees and they do not treat against Varroa. Most of these have their bees in the area where Terje lives, 20

A small mini mating nuc with three mini frames. When the queen is egg laying, Terje harvests it and introduces it in a colony that needs a new aueen.



minutes north of Oslo, the capital. One of these beekeepers, I call him Tim (his name is something else), has eight colonies and lives on the outskirts of the Terje area. There are many bee colonies other than Terje bees around him. The closest is 200 meters (yards) away.

Tim has done a small measurement study on the daily natural down fall of mites during a season. It varies during the season and although from some colonies it can be quite big in May, it is low at the end of the season. BC

References

- 1. Oddie, M.A.Y., Dahle, B., Neumann, P. 2017. Norwegian honey bees surviving Varroa destructor mite infestations by means of natural selection. PeerJ 5:e3956 - https://peerj.com/ articles/3956
- 2. Oddie, M.A.Y., Dahle, B., and Neumann, P., Reduced Postcapping Period in Honey Bees Surviving Varroa destructor by Means of Natural Selection, MDPI: Insects 2018, 9(4), 149 - https://www. mdpi.com/2075-4450/9/4/149
- 3. Oddie, M., Büchler, R., Dahle, B. et

- al. Rapid parallel evolution overcomes global honey bee parasite. Sci Rep 8, 7704 (2018) doi:10.1038/s41598-018-26001-7 - https://rdcu.be/bZasw
- 4. Oddie, M.A.Y., Neumann, P. & Dahle, B., Cell size and Varroa destructor mite infestations in susceptible and naturally-surviving honeybee (Apis mellifera) colonies, Apidologie (2019) 50: 1. - https://doi.org/10.1007/ s13592-018-0610-2
- 5. A piece of soft board, drenched in 250 ml 85% formic acid, 15x17x1 cm in size, put in a tight plastic bag with 2 x 10-15 of 15 mm round holes in the plastic for evaporation, described here. - https:// wiki.bienenzeitung.de/index. php?title=Kr%C3%A4merplatte
- 6. https://golden.com/wiki/Microbiome
- 7. https://mbio.asm.org/content/7/2/ e02164-15
- 8. https://doi.org/10.1073/ pnas.1314923110
- 9. https://en.wikipedia.org/wiki/ Epigenetics_in_insects
- 10. https://www.whatisepigenetics. com/the-epigenetics-of-honeybeememory-offers-a-glimpse-intoour-own-minds/; https://doi. org/10.3389/fnmol.2016.00082

	From Date	To Date	Days	HIVE NO 1		HIVE NO 2	
Year				Mites	Per Day	Mites	Per Day
2018	Aug 30	Sep 10	11	24	2	170	15
	Sep 15	Sep 25	10	-20		0,000	
	Oct 5	Oct 17	11	83	8	70	6
2019	May 1	May 8	7	23	3	193	28
	May 23	June 4	12	20	2	184	15
	June 10	June 20	10	29	3	271	27
	Aug 29	Sep 8	10	2	0	26	3



CERTIFIED NATURALLY GROWN

Grassroots Goes A Long Way

Suzannah Schneider

Since 2002, Certified Naturally Grown has offered certification for farmers using natural methods to grow food for their local communities. In 2010, CNG launched an Apiary certification as a direct response to feedback from beekeepers concerned about colony collapse disorder.

Today, there are nearly 800 producers across the United States and Canada who hold CNG certification, with about 50 beekeepers who participate in CNG's Apiary certification.

Sensible Standards

Because honey bees can cover a geographic range of more than 8,000 acres, the concept of organic honey can seem like an oxymoron: it's impossible to control where honey bees fly, and what they encounter along their way.

Acknowledging this fact, Certified Naturally Grown's Apiary certification standards focus on the health of the honey bees and the sustainability of beekeeping, with a secondary focus on the agricultural products of the hive. Included in these holistic standards are natural methods of *Varroa* Mite control, minimal colony relocation, and beekeeper safety.

Christina Neumann of Apoidea Apiary in Pennsylvania has chosen CNG as the framework for her 75-90 hives to make her Good Food Award winning honeys. She elaborates on Certified Naturally Grown standards, in her own words: "The CNG logo symbolizes the factors I consider to be most important to my apiary management: no antibiotics, no high fructose corn syrup feed, no synthetic treatments, humane bee care, and healthy bee landscapes."

And, as the most discerning beekeepers know, "Not using any harsh chemicals in or around our hives is more work, but we know it's worth it," says Dave Davenport of Good Job Bees! Honey House in Hawaii. "People tell us they can taste the Aloha in our honey."

Rosalind Severt of Canebrake Apiary in South Carolina emphasizes, "Bees work way too hard for us to contaminate their product with additives that are not good for them, or us!"

The standards for holistic hive health were developed with the expertise of an Apiary Advisory Council that includes Jennifer Berry of the University of Georgia Bee



Dauempur Farm



Valhalla Organics

Lab, Pam Fisher of the Beekeepers Guild of Southeast Virginia, Master Beekeeper Dr. Buddy Marterre, and Master Beekeeper Jon Zawislak of University of Arkansas Cooperative Extension Service.

CNG offers two publications on natural beekeeping: Handbook for Natural Beekeeping, now in its third edition, and Help the Honey Speak: A Marketing Guide for Beekeepers with Naturally Managed Apiaries. Both are available for free online at CNGfarming.org/handbook_info, and can be purchased as printed booklets for a small charge.

The Power of Peer-Review

CNG's annual peer-review inspection is a requirement for certification. Its primary goal is to verify high standards, but it also boosts knowledge sharing among beekeepers, promotes transparency, and builds trust.

In addition, CNG's model minimizes paperwork and keeps certification dues affordable.

Ruby Reid of Valhalla Organics is the first Certified Naturally Grown honey producer in Oregon. Like many CNG beekeepers, she finds value in the inspection experience. She says, "Our peer-to-peer inspections have resulted in new friendships and an opportunity to learn from farmers and beekeepers who truly understand the challenges of growing your crop in your area."

Bountiful Marketing Perks

Many beekeepers choose CNG as a way to spark curiosity among customers. David Davenport says, "The CNG logo catches customers'

Good Job Bees



eyes, and they often want to know more about it. As we redesign our labels, we are paying extra attention to where the CNG logo is placed."

In fact, when we asked Talib-Mark Fletter of Dayempur Farm in Illinois about his favorite aspect of the CNG certification, he asked, "Would it be absurd to say . . . the cute labels?!"

Once applicants complete the certification process, they're eligible to use the CNG logo on product labels and elsewhere. Members can also purchase marketing materials such as logo stickers, laminated certificates, and signs.

Plus, Certified Naturally Grown offers affordable custom design services for banners, sticker labels, business cards, and more so farmers and beekeepers can benefit from the cachet of a full suite of customized marketing supplies.

Finally, all CNG producers earn a profile on the CNG website at CNG farming.org. This profile

can serve as a landing page for customers, and in many cases, it functions as beekeepers' main web presence.

Grassroots Goes A Long Way

Many beekeepers find that USDA organic certification just doesn't make sense for their operation, for one reason or another. As it turns out, a grassroots alternative can be just as powerful.

"People know it's a rigorous certification and you've done your due diligence," says Peter O'Donnell of O'Donnell Apiaries in Pennsylvania. "You're working hard to provide the best care of the bees, decreasing the risk of chemical exposure. People recognize that it's worth all of the extras that a person goes through."

"Certified Naturally Grown means high recognition, high standards, high expectations," says Peter.

Are you ready to pursue a holistic certification and grow your community? Please join us!

You can learn more, get certified, and register for updates at **CNGfarming.org/apiary BC**

For more information: CNGfarming.
org; Instagram: @CNGfarming;
Facebook.com/CNGfarming





Apoidea Apiary PA

A New Beekeepers Best Friend!

4 Information Packed Issues Featuring:

- Beeyard Choices
- Building Frames
- Dealing With Laying Workers
- Mentors

- Drones
- Controlling Varroa
- Summer Swarms
- Beekeeping In The Far South

Plus Much, Much More!



BEELEPING Your First Three Years

> The Industry's Leading Experts Guide You Through Your First Three Years As A Beekeeper!

Visit Us At www.BeeKeeping3.com
To Start Your Subscription Now!

Florida is blessed with a good number of Winter blooming plants. However, due to space limitations only a certain number is discussed below.

Let's begin with some vines. **Coral vine** (*Antigonon leptopus*) was mentioned in an earlier article on late blooming bee plants in California. In Florida, this can bloom year-round and provide a dark colored honey. Very appealing to bees, the blossoms also supply pollen.

Carolina jasmine or yellow jessamine (*Gelsemium sempervirens*) is a twining/trailing evergreen vine that appears to be a mixed blessing for beekeepers. Inhabiting woods, thickets, sandy soils, and roadsides, it is native to the Southeast from Virginia southward to Florida and westward into Arkansas and Texas.

The scented, very showy yellow blossoms form clusters in the leaf axils. In Florida, these flowers emerge during February and March. A source of nectar, they can bring surplus honey. However, some beekeepers have reported that their bees have suffered harm and in some cases died from exposure to the blooms.

Although it hasn't been proven that the honey is indeed harmful, some sources report that the uncapped honey is toxic. What is definitely known is that the various plant parts, including the flowers, contain poisonous alkaloids with the effect of the poison accumulating in victims over time.

Red maple (*Acer rubrum*) is sometimes called swamp maple. The tree is native to the East and Central U.S. Hardy to zone three, it reaches 40 to 70 feet in height.

The very adaptable plant withstands ozone and poorly drained or wet sites. Generally free of pests, this is suited to most soil types but prefers an acid pH. Full sun to partial shade is best. Red maple limbs can break during storms.

This tree is one of the very first sources of nectar and pollen with the blossoms emerging in January and February in Florida. Elsewhere, this is generally in March and April. Despite the common name, this tree can sometimes bear yellow blossoms.

In its native range, red maple is an important nectar source. All maples are valuable for brood rearing as they bring generous quantities of pollen and nectar. These trees can provide a surplus honey crop of fifty pounds or so per colony.

This is usually white or light amber to amber, possibly with a pinkish or green tinge. Crystallizing very gradually, it can develop coarse or fine granules. The honey has a mild aroma and a distinctive taste that improves as it ages.



Carolina Jasmine

The Land Of Flowers

Connie Krochmal

Carolina willow (*Salix caroliniana*) is also known as coastal plain willow, Ward's willow, and swamp willow. The plant is found in marshy areas, stream and river banks, shores, low woods, and other wet spots. Most common in the coastal plain, it is native in the Midwest and in the East from Pennsylvania to Florida westward to Texas, Oklahoma, Kansas, Missouri, Arkansas, and Iowa.

This resembles black willow. The small slender tree or much branched shrub can be over 30 feet tall. It features an open broad crown and thick spreading branches.

The gray bark is much checkered. Yellowish when young, the branchlets later become purplish or red. These are usually hairy.

The alternate, deciduous, papery, lance-like to lance-ovate, firm leaves are green above and whitish with hairs beneath. These are $2\frac{1}{2}$ to $5\frac{1}{2}$ inches long. Conspicuous, wing-like stipules are found at the base of the leaves.

In Florida, the catkins open during February and March with this occurring elsewhere in March and April. The male and female catkins open near the ends of the branchlets. The males have four to eight stamens. The female catkins are open and lax.

All willows are early sources of nectar and pollen. Both the male and female catkins yield nectar, but pollen only comes from the males. The bees also collect honeydew from these species.

When enough plants are available, a surplus crop of honey can result. Willows are valuable to bees because they bloom early and aid in brood rearing. The plants can result in up to ninety pounds or more of honey per colony.

Thin bodied with a light aroma, it granulates to develop a fine texture. The flavor is mostly delicate and distinctive, but can sometimes be stronger. The color varies widely from white and various shades of amber to yellow.

Willows prefer wet or moist soils and full sun for at least half of the day. They're easily propagated by cutting a stem and rooting it in water. Avoid planting willows near water or sewer lines.

Citrus is an important bee plant in Florida with flowering occurring from February to April, depending on the type being grown. These honey plants were covered in some detail in an earlier article on Southwestern Winter blooming plants.

Rosemary (*Rosmarinus officinalis*) tends to bloom in the Winter in warm climates. Thriving in Florida, this plant withstands heat, humidity, and salt. An excellent bee shrub, this yields pollen and over a hundred pounds of rich tasting water white to white honey per colony.

Ti-ti (Cyrilla racemiflora) is a native shrub or small



Citrus

tree that reaches 25 feet in height. The thick, leathery, alternate leaves are shiny. The small white blooms appear in February in Florida on six-inch-long pendulous spikes.

The plant occurs from Virginia throughout the South westward to Texas in sandy swamps and in moist, peatrich soil.

Some bee experts believe that this plant causes 'purple brood,' which affects only the brood and not the adult bees. An article in the December 1935 edition of Gleanings described the effect of 'purple brood' on colonies. This indicated that the problem was restricted to those areas where ti-ti was in bloom with the hives recovering after flowering ceases.

Other Winter flowering bee plants in Florida include blueberries (pollen, honey), crimson clover (delicious honey), cherry (pollen, sometimes honey), hawthorn (pollen, honey, honeydew), plums (pollen, honey), yellow sweet clover (superior honey plant), viburnums (honey), beauty berry (nectar), coreopsis (pollen, honey), and mist flower (pollen, honey).

Avocado (Persea americana)

While the plants above have appeared in previous articles, the avocado is new. In Florida, this generally blooms from February to April, depending on the variety. Elsewhere, this can be from Winter into Summer.

While the main production in America occurs in California, this is also grown in Hawaii, Florida, Puerto Rico, and along the Gulf states to Texas.



Avocado



Rosemaru

An avocado grown as a dooryard tree can live for a century. The average for commercial trees is thirty-five to fifty years. The tree is related to a native honey plant, red bay (*Persea borbonia*)

Description of Avocado

Native to Central America and Mexico, avocado is typically a beautiful evergreen tree with a large spreading canopy, but it can also be an upright shrub. Providing heavy shade, the plant can reach 20 to 60 feet in height with a 25 to 35 foot spread. Dwarf types are only eight to 10 feet tall.

The large, lush, leathery, deep green leaves are heavily veined. The new foliage is reddish-copper to bronze. This is four to ten inches long and up to three inches wide.

The leaves of the Mexican avocado varieties have a spicy aroma. Leaf drop can occur year-round on avocado plants, but this tends to be more pronounced during windy periods.

According to S.E. McGregor, author of "Insect Pollination of Cultivated Crop Plants," avocado blooms are "structurally bisexual and functionally unisexual." The very floriferous plant is covered with small blooms, ½ by ½ inch, borne in terminal clusters. Blossoms can be yellow-green, green or cream. These feature three green petals and three sepals.

Flowering can last for six months. The individual flowers are only open for two days. Avocado blossoms are classified as type A or type B. The former open in the morning of the first day, and during the afternoon the second day.

On the other hand, type B flowers emerge in the afternoon on Day 1 and the morning of Day 2. Each flower secretes nectar both days but from a different set of nectaries.

Avocado fruits can vary greatly by length, overall size, shape, color, and weight, according to the variety. Avocadoes ripen from Summer into Winter, depending on the variety. Harvest typically ranges from eight to fourteen months from the time of bloom.

Growing Avocado

Avocadoes thrive in zones 10 and 11. Hardiness differs according to the type being grown. West Indian avocadoes, the least hardy type (25°F.) is best suited to Hawaii, Florida, and the Caribbean.

For the Southeast and California, both the Guatemalan and Mexican races and hybrids are recommended.

Guatemalan avocadoes are hardy to 21-25°F. The Mexican type is the hardiest – to 18°F.

Avocado trees must have high humidity and good wind protection. A rich, deep, quick draining soil is best. Poorly drained, wet, or salty sites are unsuitable.

These are propagated by seeds, budding, and grafting. The latter methods promote earlier fruit crops – bearing in two to three years. Seedlings can take eight to 12 years. Avocado plants are available from Logee's and One Green World.

Spacing depends on the plant's ultimate size. Standard sized avocado trees are usually planted twenty to forty feet apart. A single plant can have more than one variety budded or grafted onto a single rootstock.

When planting an avocado, place the crown so that it will be slightly higher in the soil than it was in the pot. Avocado plants require little training or pruning. Normally, pruning is needed only if a branch dies.

Generally, the plants require less care than temperate fruit plants. Fertilize lightly in California. Elsewhere, use a small amount of complete fertilizer from early Spring into late Summer. Iron chlorosis sometimes develops, mostly in California. If this occurs, apply iron chelate.

These plants benefit from mulch. Water when needed until the avocado is established. Then, add enough water to keep the soil moist in the upper two feet of the soil on established plants.

Usually, avocadoes in California experience fewer pest and disease issues than elsewhere with the exception being root rot. Rot resistant varieties are recommended. Scab resistant varieties are good choices for Florida and the Southeast.

In the Southeast, fungal diseases can occur, mostly powdery mildew, scab, and anthracnose. In California, snails can be a problem, while in Florida scales can damage the plants. Recently, avocado lace bugs were found on avocado plants in Hawaii.

Bee Value and Pollination of Avocado

Avocado blossoms are a rich source of pollen and nectar. The sticky, heavy pollen is released during the second opening of the flowers.

Plants receiving adequate soil moisture are more floriferous. Climate, weather, and growing conditions can affect the nectar flow.



Avocado blossom.

Bees are strongly attracted to avocado blossoms. However, they reportedly don't work avocado blossoms nearly as vigorously as they do those of temperate tree fruits. Although a surplus honey crop is possible, most beekeepers use avocado plants to build up their colonies.

The thick, dark to profound dark amber honey is heavy bodied. Reluctant to granulate, it features a strong aroma and a robust flavor. When bees consistently work avocado blossoms, there can be a large crop of honey.

Bee gardeners will harvest larger fruit crops if cross pollination is provided despite the fact that some gardening books describe the plants as self fruitful. McGregor recommends two to three colonies per acre. Interplanting different varieties in the grove promotes better pollination.

Although other pollinators can play a minor role in avocado pollination. McGregor concludes that "only honey bees are sufficiently abundant on the blossoms at all times to set satisfactory crops of fruits." This is assuming that neither mustard nor citrus are growing nearby for bees will likely abandon the avocado blooms to work the other flowers.

In Florida, bee gardeners can expect one to two bushels of avocadoes per plant, while in California, a 10-year-old plant can bear two or three bushels. Avocados are essentially alternate bearing plants, which means they bear a heavy fruit crop one year followed by a lighter crop the following year.

Connie Krochmal knows all about plants and bees and lives in Kentucky.



Friend Or Foe

Wasps & Hornets

The recent discovery of one of the Asian hornets, Vespa mandarinia, in Washington State and neighboring British Columbia, has increased awareness of stinging insects that cause problems. This particular hornet does have an appetite for honey bees, thus making it an unwanted critter in the vicinity of honey bee hives. In Western Europe and now extending into the United Kingdom a problem is a second, different, Asian hornet, Vespa velutina, that also prefers honey bees as a large part of its diet and that of the hornets' developing larvae. There is no doubt that these two are a distinct problem for honey bees and their beekeepers, not only outside their native range, but also inside it. These two are true hornets.

Beekeepers realize that their own honey bees can sting but have learned how to avoid those stings. The honey bees bring praises for their pollination work and honey production. However honey bees are just one of an assortment of stinging insects that are actually extremely valuable. Unfortunately these stinging insects are misunderstood, unappreciated and frequently annihilated for one reason only - they sting. However, if you ever have to cope with either (or both) mandarinia or velutina I can recommend a control used in a number of countries where these are native - old, used cricket bats. They have flat surfaces and will deliver a



deadly blow.

This is the time of year when gardens, vegetable and flower, are being planted across the country. Some of the warmer areas have gardens well under way. The garden shops have been raided for seeds, young plants, fertilizers, garden hoses and in many cases for "bug sprays" to keep the garden pests under control. Beekeepers may prefer to use controls that would not be lethal to their pollinating honey bees. However, outside of the gardens, insect control methods might be used. Quite a number of stinging insects are happy to be of service in insect control. These insects need to be appreciated and conserved.

It may seem strange to someone who has encountered yellowjackets and their stings that these yellowjackets are a very desirable garden helper. Unfortunately the majority of yellowjackets, in the genus Vespula, nest in the ground, in old rodent cavities. Only a small hole in the ground is the only entry/exit to the underground nest. All is well until someone mows or walks over the hole. Then, rightfully so, the yellowjackets become defensive - defending their home with developing young and food supply. A normal reaction to disturbance. Our honey bees do exactly the same but beekeepers have learned how to cope.

The diet for the developing yellowjacket larvae is protein. Other wasps and hornets also need to feed protein to developing larvae. Our honey bees collect pollen, laden with proteins. The nurse honey bees use pollen to manufacture brood food and also mix with other substances for brood food. The yellowjacket's source of protein is other insects, adult or larval stage, that are actually made of an assortment of proteins. The adult yellowjackets will forage – search for sources – and your gardens may be excellent places to search.

Mine was. Many years ago I was raising pole beans in my vegetable garden. One morning when I was inspecting the bean plants I realized I had the larvae and a few adults of bean beetles, an unwanted pest. As I stood there, a yellowjacket flew in, grabbed a larva and flew away. In about two or so minutes the yellowjacket returned then flew off again with her prey. Her nest must have been close since the flight time was short. Or perhaps her nestmates were also collecting the bean beetle larvae. My beans were being cared for by yellowjackets. I needed to do nothing.

A yellowjacket out foraging for larval food is no more dangerous than a honey bee out foraging for pollen and nectar. Yes, you could get stung by either one if you get in their way and have a collision. So step aside and let the yellowjackets and honey bees get on with their work. If you do find the entrance hole to a yellowjacket nest, mark it with sticks or little flags to avoid your disturbing them and their defensive actions. They and their nest will be gone by late Summer and definitely by frost. In warm climates an imported yellowjacket, Vespula germanica, can continue to live through warm Winters especially in sheltered places. V. germanica is the yellowjacket most frequently found living in walls of houses and other structures.

Yellowjackets especially, as well as other kinds of wasps, can become quite a problem as the Summer is ending and the workers lives are ending. There may be no more larvae to feed so the unemployed adults are out searching for food, energy for



Wasp

themselves. That "energy food" can be rotting fruit in an orchard or a sweet drink in a can or glass. At this time of year the helpful yellowjackets, wasps and hornet can indeed become pests themselves. The workers will be dying but the mated queens are searching for protected locations where they will sleep through the winter. New nests will be established in Spring.

There are two yellowjackets that make large paper-encased nests in trees or bushes. One, with typical vellow and black stripes, is Dolichovespula arenaria. The other one, misnamed "bald-faced hornet" (or white-faced hornet), is not a hornet at all, but is a yellowjacket, Dolichovespula maculata, that preys on many kinds of flies. At the end of the season the gray paper nests can be seen in trees and are frequently collected for display. Unfortunately they are usually called "hornet nests." But what is more unfortunate they are sometimes shown as honey bee hives in cartoons or other drawings.

Back in the middle of the 1800s the one true hornet in the U.S., *Vespa crabro*, was brought into New York. Its native area is Europe. It constructs a paper nest in a cavity such as a hollow tree. It preys on a number of different insects. It does have one peculiar habit of hovering around porch lights at night. They will not sting if left undisturbed but can capture prey—other insects flying around the light. Just try not to have a collision. The hornets will return home when the light is turned off.

The paper wasps, *Polistes spp.* that build small paper combs under eaves of houses and barns keep various caterpillars under control. The small open combs usually disappear during the winter winds and rain, but the wasp's work has been done during the warm season. The *Polistes* wasps can be quite defensive and will readily sting if disturbed. Fortunately the small combs in the eaves are usually not



near human traffic.

My barn is kept clean of too many spider webs by a few of very hard-working, but very docile wasps, the Pipe Organ Mud Dauber wasps, Trypoxylon politom. Some spiders and their webs are useful in keeping flies under control. But a barn can have too many spider webs. So somehow a balance had been achieved with flies, spiders and wasps. When the female Mud Dauber is hard-at-work bringing in mud to construct her "organ pipes" she flies quietly around people, horses, dog and cats. It's hard work bringing in the mud and shaping the tubes, but the "organ pipes" are impressive. Fresh mud "organ pipes" are made each year by the new female. She was mated last autumn and found a sheltered place to overwinter.


Not all wasps construct nests to live in colonies. There are many solitary wasps that are working very hard to keep harmful insects under control. Some of these solitary wasps are so small that we never notice them or perhaps think they are some sort of tiny gnat just flying along. Those people in the Eastern half of the U.S., and also along the coastal part of California, have had to cope with the Asia brown marmorated stink bug. This pest arrived in the eastern U.S. and proceeded to damage ripening fruit and vegetables, not only in small gardens but also in commercial farms. Furthermore it became a house pest, invading homes by the hundreds or thousands to winter over in a protected place. In its native eastern countries of China and Japan, a small solitary wasp kept this pest under control. Today, one of our native small solitary wasps has discovered this stink bug and is now working hard to keep it controlled.

Those gardeners who raise tomatoes are always happy to see a tomato hornworm decorated with numerous upright white cocoons. The tomato hornworm is actually the larval or caterpillar stage of a Sphinx Moth. It is related to the tobacco hornworm. Now you know what these caterpillars like for food! Both can be very destructive to their host plants. Those upright, white cocoons are the work of a small parasitic wasp, one of the Braconid family of wasps. These are all very small, much less than an inch, and are only interested in having the caterpillars provide food for the developing wasp larvae. When you actually see the white cocoons, the caterpillar is basically dead. The wasp larvae, many of them, have consumed the entire inside of the caterpillar. Wasps at their best! Insect control. Never destroy those white cocoons because the adult wasps will be emerging to continue their pest control.

Now we must consider another group of insects that are hard at work for us but unfortunately are killed because of their appearance. The mimics! You can have bumble bee mimics, wasp mimics, yellowjacket mimics and bee mimics. They cannot sting for a very good reason - they are all different types of flies! Flies do not have the sting apparatus that bees and wasps have. Flies have only one pair of wings; bees, wasps and hornets have two pair. Flies usually have large eyes and short antennae; bees and wasps have smaller eyes and longer antennae. However, you may not want to inspect such insects too closely or for too long a time. (They are fascinating to watch. But they do have work to do.) One trait can be more easily noticed - many of them hover. Just flying in one place, frequently over flowers. Bees and wasps do not hover.

The adults do eat nectar and pollen from flowers but the larvae consume aphids. So these mimics can be considered quite valuable for keeping pests under control. Many of the mimics do not have hairy bodies but the bumble bee and bee mimics are quite fuzzy. The mimics are considered pollinators but the extent of their pollination has not been studied in depth.

During your late Spring and definitely during the Summer months visit your vegetable garden and any flowers whether in your garden or just growing wild. See if you can find any of the yellowjackets, wasps and mimics. Of course you may also find some of the solitary bees. Yes, you can wear your bee veil if you wish. Remember when these insects are at work they are not interested in you but collisions can occur. You may see quite an assortment of solitary wasps and mimics on flowers, sipping some nectar - their energy drink. Always keep in mind that although some of these insects can sting they all are keeping the gardens and meadows thriving. BC



PROPOLIS

Rowan Brown -

You may know propolis mostly as a nuisance. It cements boxes together and leaves dark tacky stains on bee suits. It runs down the side of your hive like molasses in the Summer and shatters like ice in the Winter. It may gum up tools and ruin the neat aesthetic of the combs, but it is absolutely essential for a healthy hive.

The word propolis, coined by Aristotle, is the same as the Greek word for "suburb" or "extended city." Supposedly this is because the Greeks recognized it as an essential material for hive growth

and construction and even harvested it for themselves to use in medicine and religious ceremonies. They weren't the only ancient societies to recognize its value. The Assyrians used it to treat cancer and the Egyptians used to embalm their pharaohs.

What is Propolis?

Propolis is essentially hive glue. Its main ingredient is plant resin. Though the most famous examples of resin are the sticky saps from conifers,

the substance is actually produced by many different types of trees, shrubs, and even flowers. Bees collect these of resins while they are warm and liquified, then grind them up and mix them with enzymes in their stomachs. Finally, they extrude the mixture out onto any imperfections in the hive. Propolis is most often located around the openings and cracks of the boxes where it acts as a sealant, regulating the size and location of exits and keeping the temperature stable. It can also be used to neutralize threats or just tidy up the bee's living quarters. Say an outsider, like a small lizard, makes its way into the hive and dies. Instead of letting the invader putrefy, the bees mummify the remains with propolis

so that the hive remains sanitary and protected.

In the past, beekeepers tried to remove propolis from hives because they thought it led to a decrease in the amount of honey produced. Groups attempted to breed species that didn't produce propolis at all, but that led to hives that were far more susceptible to parasites and pathogens. Now, beekeepers understand that more propolis leads to a healthier hive and are finding new ways to make their hives produce more propolis, either to bolster the health of the hive or the health of their human caretakers.



Propolis and Human Health

Propolis's antiseptic and antioxidant characteristics make it perfect for use as a natural treatment for minor cuts and bruises. It has been shown to reduce swelling and prevent the spread of infections. Propolis can be applied as an ointment to heal everything from sunburns to canker sores, or it can be ingested to help with stomach and intestinal issues. The most common propolis product is a throat spray. Supposedly, this is an immunity booster that can be administered at times of sickness or stress. The argument is that if it can protect the health of the hive, it may be able to protect your health as well.

Some newer research indicates

that propolis may have anticarcinogenic properties that help to treat specific forms of cancer. In a laboratory setting, compounds in propolis were shown to slow the growth of cancerous cells by up to sixty percent. Propolis kills the cancer by interfering with its reproductive abilities. This allows propolis to be toxic to the harmful cells without hurting anything else in the body. So far, it has been tested against cancers of the nose, throat, and colon.

Unregulated products containing propolis should be used with caution as they can contain contamination

from pesticides and may result in an allergic reaction if used consistently over long periods of time.

Harvesting Your Own Propolis

If you'd like your hive to produce more propolis either for the health of the bees or for your own use, the harvesting process is fairly simple. Bees naturally try to fix any imperfections with propolis, so all you need to do is add some artificial blemishes to your boxes and the bees will do the rest.

Some easy ways to do this include adding grooves to the inside of the boxes with a chisel or scraping up the wood superficially with a wire brush. If you'd like to harvest the propolis for yourself or keep it more contained within the hive, there are propolis traps available for purchase. These traps are essentially flexible screens made of wire mesh or plastic. The bustling bees make quick work of sealing up all of the individual openings leaving you with a sheet of pure propolis. Removing the product is typically quite easy, all you have to do is take advantage of its temperature sensitivity. Simply place the screen in a refrigerator for a few minutes and when you take it out, the propolis should flake off easily. BC

10 RULS

Communicating On Pesticides

David Zaruk

One of the biggest challenges for any risk communications professional today is to deliver positive messages on pesticides. Like any communications process, trust is essential, but in a chemophobic world, trust in chemicals is a rare commodity. Pesticides found on the food the public consumes creates a vulnerability (fear) that cannot easily be overcome. People have to be convinced that their food is safe, any pesticide residues are of no risk and are there for a reason. In this case, we are asking a mother feeding her child to trust the chemical industry – a challenge indeed.

It wouldn't be half as hard were it not for the opportunists seeking to take advantage of a vulnerable population worried about their health and the environment. With social media networks making it feel like cancer is found in every spoonful, frightened consumers reach for their wallets and the dream of a chemical-free world. The narrative driven by the chemophobic activist community is that pesticides are dangerous to consumers, unnecessary and destroying the environment. They have left most of us thinking there must be some evil industry conspiracy wanting to pollute the countryside, poison children and profit from some intentional cancer plague.

Anti-GM campaigners have recently shifted their strategy to focus on how seeds are bred to resist certain pesticides. The activist attacks on glyphosate were part of an anti-GM campaign. Their logic is clear: attacking golden rice or GM brinjal was not going to increase memberships or donations, but pesticides attract public fear with minimal effort.

So for those taking up the challenge of getting the public to warm to pesticides (or pesticide-resistant seeds), allow me to catalogue what I feel are 10 best practices. There have been mis- takes in the past as there will likely be in future, but perhaps an open discussion is the best place to start.

TEN RULES FOR COMMUNICATING ON PESTICIDES

1. DON'T DIMINISH HOW PEOPLE FEEL FRIGHTENED OR DISMISS THEIR CONCERNS

Scientifically literate individuals understand the insignificant levels of pesticide residues found on most foods, the comparatively high levels of hazardous natural chemicals and the decades of research that have gone into registration and compliance of all pesticides. But the public does not and they have been made to believe, most recently with the Monsanto Papers, that nobody knows with any certainty if any pesticides are safe at all. A scientist who dismisses their concerns, regardless how ridiculous they sound, is quickly dismissed.

When people feel vulnerable, they seek out someone they can trust and who understands them. Don't answer their questions with data, alienating chemical names or titles of important scientists or institutions. Try to put your answer into a personal story, compare the risk to an everyday exposure (like a cup of coffee) and try to demonstrate why farmers use these products. Antichemical gurus became popular because they understood and shared the vulnerabilities the public felt.

2. CELEBRATE ACHIEVEMENTS: HIGHER YIELDS, SECURE HARVESTS, LESS LABOR

Malthus thought the world could not feed one billion people. Agri-technology has allowed man to feed an evergrowing population with higher yields and less input and this should be celebrated. Man is a story-telling animal and the development of each pesticide is a story of how scientists were able to find a means to solve a problem and allow farmers to successfully bring a crop to harvest. Children in most countries no longer need to spend their Summers pulling weeds. The best story to tell is one of food security: We no longer live in fear of major global crop failures – the technology is proven and trusted.

3. MAKE IT CLEAR THAT THE NATURAL VS SYNTHETIC SOURCE IS NOT AN ISSUE

A dominant cultural narrative today is that natural is trusted. Organic food lobbyists like to claim their pesticides are safer because they come from a natural source. But the public needs to understand that all pesticides contain toxins that are used to solve specific problems (if they weren't effective, they would not be used). Consumers must be reassured that all toxins used in crop protection, whether natural or synthetic in origin, have been well tested and are safe. The organic industry needs to behave in a more ethical manner here.

4. USE PRECISE TERMS WHEN POSSIBLE: INSECTICIDE, HERBICIDE, FUNGICIDE

The word "pesticide" obviously has a bad connotation. More importantly, it does not say what the substance does. An insecticide kills insects – insects eat crops. If the public has a better idea what a substance does, they can better accept its necessity. While we don't want pesticides, we also don't want insects in our food, weeds in our garden or moulds or blight on our plants. A precise vocabulary is essential in risk communications.

5. SHOW WHY FARMERS USE PESTICIDES (BENEFITS) AND ONLY WHEN NECESSARY

Farmers and farming are seen differently. Farming is seen as a rather simple process: you plant

10 Rules for Communicating on Pesticides



- 1. Don't diminish how people feel frightened or dismiss their concerns
- 2. Celebrate achievements: higher yields, secure harvests, less labour
- Make it clear that the natural v synthetic source is not an issue
- Use precise terms when possible: insecticide, herbicide, fungicide
- Show why farmers use pesticides (benefits) and only when necessary
- Present pesticides as part of a farmer's toolkit used in difficult tasks
- 7. Highlight the 50-year trend of lowering dose levels, better technologies
- 8. Demonstrate visually the volume of compliance research studies
- 9. Put toxicity into a banalising context
- 10. Help people find out more information for themselves

a seed and in a couple months you take a harvest to market (. . . and I grew beans in my garden once!). Conventional farmers, on the other hand, seem to work for some industrial complex, poison the land and don't care about public health. The organic food lobby bias that conventional farmers spray (douse, drench . . .) indiscriminately is inexcusable. The public needs to understand that farmers use pesticides only when there is a reason, at the lowest levels possible (it costs money) and with prevention in mind. There are clear benefits in using them. If a farmer could successfully grow crops without pesticides, surely he or she would.

6. PRESENT PESTICIDES AS PART OF A FARMER'S TOOLKIT USED IN DIFFICULT TASKS

Integrated Pest Management (IPM) is a good example of how a farmer has many tools to deliver a crop to market, including pesticides. But these tools need to be of the best quality (farmers generally use the best crop protection tools available). Each time a pesticide is removed from the market (and this is happening in Brussels at an alarming rate), farmers have to look for alternative tools (often older pesticides with less sustainable profiles). The public, especially the media and policy-makers, have to understand that banning important farming tools is not necessarily a step in the right direction.

7. HIGHLIGHT THE 50-YEAR TREND OF LOWERING DOSE LEVELS, BETTER TECHNOLOGIES

The first pesticides on the market in the 1960s were admittedly rather harsh (like any emerging technology). But over the last 50 years, scientists have worked to continuously improve agri-technologies (product stewardship), lowering dosages, reducing environmental and health impacts and providing better crop performance. Activists like to portray the industry with old images of crop dusters and military grade chemicals – they know the public might be

attracted to advanced technologies. Precision agriculture is one such example of an attractive technology that could capture the public imagination if the story is told well.

8. DEMONSTRATE VISUALLY THE VOLUME OF COMPLIANCE RESEARCH STUDIES

The pesticide risk assessment process is not widely understood and trust in regulators is declining. Activists have made the process seem sinister: that a company puts a poison on the market with no data, and when cancers start to increase, the company then lobbies regulators to allow them to continue to make profits. If people understood the amount of testing and compliance measures required before a product goes on the market, and the levels of research required to keep it on the market, their trust in the process may improve. I often hear the terms "10 years and 10,000 pages" to describe how the risk assessment process works. That image needs to be visualized in a way to show the volume of work and research required to comply.

9. PUT TOXICITY INTO A BANALISING CONTEXT

Most people are numerically illiterate (they buy lottery tickets to pay off their credit card debt). Expressing toxicity in terms of LD50s to a person who equates "chemical" with "cancer" is a waste of time. You need to put the toxicity into a context people understand. For example, if you get people to remember there are more carcinogens in a cup of coffee than in the pesticide residues of a year's consumption of fruit and vegetables (Bruce Ames), they may begin to understand the risk a bit better (or stop drinking coffee). To say glyphosate has a very low toxicity is meaningless, but if you show how it is less toxic than ingredients found in chocolate or biscuits, maybe they will get it. I call this the banalisation of risk.

10. HELPPEOPLE FIND OUT MORE INFORMATION FOR THEMSELVES

An essential element of trust is agency. I fear flying more than driving my car to the airport because I know I am in control of the vehicle. If I can find correct infor- mation on pesticides myself I will gain my own understanding. Any communication effort should leave the audience with a means to find out more information by themselves. When I tell people there are more carcinogens in a cup of coffee, I ask them to Google "Bruce Ames + coffee + pesticides." There is a lot of information out there, but people need to be sent in a good direction. A passive receiver hears information, an active one learns it.

These 10 rules make communicating on pesticides seem easy. Of course anyone who has tried this challenging task will attest it is not. There are many clever and manipulative activists who are always one step ahead of you, using fear tools like children, bees and fear of cancer to undermine public trust. NGOs or social media gurus have no ethical codes of conduct restricting their behavior (so their lies and fear-mongering can be justified in a sort of Machiavellian zealot ethics). Neither industry nor regulators can play by the same rules.

An important element of trust is the messenger. An industry spokesperson is probably the least credible voice to deliver a positive story on pesticides. Farmers and scientists need to step up and be the story-tellers. They too will suffer from the continued aggressive assault on agri-technology.

I am sure there must be 10 more rules to add to this conversation and each pesticide or class of substances are different. Cultures have different perspectives (many languages consider pesticides as medicines for plants) and there are different levels of scientific literacy. One point is certain: we have a general idea today what doesn't work when communicating on pesticides. Things can only improve – right?

David Zaruk is a professor based in Brussels writing on environmental-health risk policy within the EU Bubble. He writes a blog under the name: The Risk-Monger. The comments in the Risk Corner are his own and does not necessarily represent the views of European Seed.

reprinted with permission from European Seed.

Who's Keeping Whom?

By our hands, they've reached strange lands: All continents, save one. From humble beginnings, they keep on winning, Toiling under foreign suns.

They do our bidding? Who are you kidding? Who's really in control? You've been colonized, open your eyes, The bees reversed the roles.

We get honey, sure. But it's just the lure They use to keep you sweet. We've all been played, but it's ok. Just relax, and admit defeat.

Peter Keilty Beesforall.com

Stuttering Gets the Royal Treatment



King George VI, whose live broadcasts of hope and inspiration kept the spirits of the British people alive during the dark days of World War II, met the challenge of stuttering with courage.


If you stutter, you should know about this gentle and courageous man, dramatized in *The King's Speech*. For more information on how you can meet your challenge, contact us.



www.StutteringHelp.org www.tartamudez.org

800-992-9392





The AZ Hive Journey

Debra Langley-Boyer

Who thought a daughter and one beekeeping class could cause chaos in my life? In 2016 my daughter talked me into taking a two-hour beekeeping class. She said she wanted to keep bees. Now my life includes four AZ hives and thousands of bees, yet she has no hive or bees.

Once I decided to keep bees, my initial research revealed that I had a serious problem, the Langstroth hives were too heavy for me. I found the solution in an article in 'Mother Earth News' magazine on AZ hives. Although I was told by more than one beekeeper that "you must start with Langstroth hives," I knew the Slovenian AŽ hive had been used in Europe for over 100 years.

The AZ hive has similar attributes to the Langstroth hive. It has frames, chambers (boxes) and the traditional bee space. The AZ hive enhances the design to make it easier for beekeepers to use with less disturbance for the bees. It is especially designed to fit those who have trouble lifting heavy boxes.

The AZ hive is designed like a cabinet with the bee entrance on the back and the beekeeper access through a door. It consists of individual chambers, that are accessed through a separate inner door and a set of frames. The frames slide in and out on horizonal rods placed below the frames. Lifting is limited to one frame at a time, which is perfect for me. Between each chamber is a separating divider board. This board can be solid (to separate completely), slotted (for easy bee flow), or a queen excluder.



Corner view of AZ frames. Concave top/bottom.

View inside AZ hive. shows parts of three chambers. Bottom with some frames, middle no frames and top with inner door on.





Inside shelter, looking at two two-chamber hives and two four-chamber hives with one outer door open.




Front view of shelter with hives bee entrances. Two four-chamber hives with yellow flowers. On right inset two two-chamber hives. Murals of Mt. Rainier and Olympics with garden and native flowers for bees.



View of AZ feeder. jars of sugar water on either side. Empty hole in center for another jar.



Working AZ Hive inside shelter. Corner of shelter working chamber two of the fourchamber hives.



Club AZ bee entrance. Landing board and bee entrance on AZ hive.

AZ hives are kept in a bee house or similar building, I converted a shelter that was for my llamas to one for my bees. The bee house protects the bees as well as the beekeeper and equipment from the elements. The beekeeper accesses the bees from inside the bee house via the chamber they want to inspect. This allows elderly or handicapped beekeepers to easily work their bees (including wheelchair users). The hives can be opened in the rain if needed. They can also be made mobile when put on a trailer.

AZ hives seemed ideal for me except I encountered a lack of information and access to supplies, including hives. After more research, I only found a couple of people in the USA that sold AZ hives and even less information, especially in English. I chose the American AZ hive which is a variation of the Slovenian AZ beehive with frames the same size as the Langstroth frame. Thus, they fit the same foundation and honey extractors commonly used

in the U.S. An AZ hive cost about \$500 but lasts longer and are often passed on to the next generation. Based on cost, I designed and built my own. This was a challenging project as there were no plans available. After many hours of design and construction, I have two wonderful four-chamber AZ hives that are installed in my bee shelter.

The bees came next. I purchased two five-frame nucs in Langstroth frames. I then removed the foundation with comb, brood, and honey by cutting off the Langstroth frame and put the foundation in my new AZ frames. This was a bit messy but worked well.

Bees are bees. Naturally, bees propolis and add bur comb wherever they can. To help limit this the frames only have a few contact points. Metal spacers at the front and on the inner door to keep 3/8-inch bee space. The frames have concave top and bottom that sit on the rods, with no tabs. This makes removing the frames easy, unless the bees have added extra bur comb. Sliding the frames



View on inside an AZ Hive with two frames out. Slotted divider boards on top and bottom. Rods frames sit on bottom.

to the side after removing the frame next to it usually disconnects it easily. If you do not regularly tend your hive, and the bees build too much in the wrong place, it is difficult just like a Langstroth hive.

The AZ hives are worked by moving frames, not adding

new chambers to the top. The hive still has the brood chamber on the bottom and honey above. Since the number of chambers never changes, you must tend them via moving the frames. Feeders can be added to the back between the inner and outer door. Ventilation is done with openings at bee entrance and in the top outer back door.

My bees have done very well in the AZ hives. I've had 100% Winter survival so far after three Winters. I like being able to work them in any weather. I even treat them in the late Fall with rain. I can heat the shelter to keep the hive from getting a chill when I open it up, not breaking the Winter cluster. With the screen I can peek in and see my bees year-round, adding to my enjoyment, as well as checking on my bees.

The American AZ hive has not been in the U.S. too long but is taking hold as more find the benefits of this style of hive. AZ



AZ frame spacers on inner door holding frames.

hives are a good choice for those needing less lifting, weather protection and hobby beekeepers like me. I have since added two more hives with two-chambers each for queen rearing. My daughter continues to manipulate me and loves the honey. I love my bees and the AZ hives.

Further information can be found online below are some recommended sites.

- The Bee Shop Drebbieville hives Information and sales (American AZ hive)
- Slovenian Beekeeping information and sales (traditional AŽ hives)
- Facebook has a few groups AZ Hivers and AZ Hive Creators. AZ Hives -Pacific Northwest



CALENDAR

Display Advertisers							

If you are having an annual meeting or teaching a beginning beekeeping class, we are happy to send you magazines to give to your attendees and students.

BUT – we need to receive your request four weeks before your event so that we have time to process your request.

Please email Amanda at Amanda@BeeCulture.com with the number of magazines needed, a complete mailing address and a contact person.

Check Us Out At

- www.BeeCulture.com
- www.Facebook.com/Bee
 Culture Magazine
- Twitter.com/beeculture

Sign up for the FREE News

Service – CATCH THE BUZZ –

at BeeCulture.com, and read
hundreds of recent BUZZ posts
at BeeCulture.com/category/

catch-the-buzz

BOTTOM BOARD